

-2

XXI-J-4


XXII-1-2

PHARMACOPOEA

R. 604

AMSTELREDAMENSIS,

Senatus Auctoritate
munita.



D'Astorga

*Ex biblioteca
Ant. Patri Gon
caliz et Barcia
Medici Regij
anno 1699*

AMSTELREDAMI,

Apud GVILIELMVM & IOHANNEM BLAEV,

MDCCXXXVI.

Cum Privilegio.

THE UNIVERSITY OF CHICAGO

PHYSICS DEPARTMENT

Source: *[Faint text]*

[Faint text]

[Handwritten notes, partially obscured by ink blotches]



THE UNIVERSITY OF CHICAGO

PHYSICS DEPARTMENT

[Faint text]

[Faint text]

CONSULIBVS,

&

SENATORIBVS

Amstelredamensis

Reipublicæ.



MAGNIFICI, &

PRVDENTES DOMINI

Quam oblatum venimus Pharmacopœam, illam & vobis, & vestris civibus vestra peperit civitas, cùm, ut Medicis Pharmacopolarum officina, tùm, ut Pharmacopolis Medicorum innotescat mens. Quæ duo summè necessaria, imò præcipua fulcra, quibus praxis

**

2

medi-

D E D I C A T I O.

medica innixa: quibus quandoquidem haftenus carendum fuit, vidimus, & utinam haud vidissemus, quid detrimenti ceperint ægri, & quam incerta, ne dicamus irrita, sæpenumerò fuerint etiam sagacissima consilia. Sed jacta est anchora quæ fluctuantem firmabit navem; & inventum vinculum quod dissolutas ligabit scopas. Exemplis nobis præluxere celeberrimæ totius Europæ civitates: quarum cuilibet sua est Pharmacopœa, & in eâ is remedium delectus, quem suis ægris, suæque civitati judicarunt convenientissimum. Diu hanc vidimus viam, & diu ancipitis, & periculosæ nostræ aleæ fuimus per-tæsi; sed ea fuit & incrementis vestræ urbis magnitudo, & tam exuperans

D E D I C A T I O.

perans officinarum frequentia, ut
 quilibet manum de tabulâ, & quid
 agas? ubi nemo glaciem frangit:
 nemo Herculi clavam extorquet:
 ferendum quod evitare nequis.
 Factum id à nobis, & quidem tam
 diu, donec communibus Collegii
 suffragiis in eum medicamentorum
 ordinem itum, quem speramus
 omnia redacturum in ordinem, &
 ad cujus normam, uti ad libellam,
 & lineam fabri, cuncta sua in po-
 sterum exigent officinæ. Nos qui-
 dem, Viri Magnifici, quem con-
 cepimus, offerimus foetum, sed
 vos, quia tollitis, patres estis: nos
 materiam, sed vos datis formam;
 ac proinde meritò illi à vobis &
 nomen, & nomini conveniens di-
 gnitas. Accipite itaque, quam

D E D I C A T I O.

dicatum imus, Pharmacopœam, prius nostram, nunc vestram, & quam venientem obviis excepistis ulnis, illam porrò fovete benignè, & defendite feriò: & si quem non moveat beneficium, cogat officium. Ampla quidem, & augusta est, quam possidetis, civitas. Multa continet, quæ multi admirantur, sed supra omnem admirationem, omniumque captum est arctissima illa familiaritas, quæ hîc Musis cum Mercurio, & huic cum civitate, & vestræ civitati, cum totius mundi ambitu. Hæc enim vestra laus est, quòd nullis circumscripti estis cancellis, sed eundem cum universo agnoscitis terminum. Et sicuti omnes circuli lineæ in centrum, ita omnium fontium rivuli in vestrum de-

D E D I C A T I O.

defluunt sinum. Faxit Deus Opt.
Max. ut lectissimam hanc Rempub.
diu conspiciamus incolumem, &
à tam claris nominibus, non minùs
feliciter assertam, quàm providè
directam, & ex usu publico fide-
liter administratam. Quod ex
animo vovemus. Amstelredami,
III. Non. Majas cIo Io c xxxvi.

V E S T R Æ R E I P V B L.

M E D I C I.

LECTORI,



VÆ EX VSV EST SCIVISSE.

Damus, quam instruximus, Officinam Pharmaceuticam. Opus novum. Nihil novi. Ab Antiquis idem factitatum, & à posteris. Studio diverso.

*Qua ab Experienciâ illi didicerant remedia, collegebant, ne perirent singula. Inventis plurima solerter Ratio adinvenit. Crevit labor. Labori fuit. Quin medicaminum copia inopes fecit medentes. Quòd judicatu difficile, quæ cita, quæ tuta, quæ jucunda magis. Itaque delectus postmodum habitus. Fermè primus à Norinbergensibus. Ab aliis deinceps, atque aliis. Ut assolent non omnia omnibus placere. Sic recidimus in eundem à plenitudine morbum. Sed graviozem. Dum quilibet pro arbitratu Pharmacopœus cuilibet insistit. Sæpe nulli: nisi è malè scripto mendosius descripto. Vidimus, & videris facile quid hinc & illinc non exoriatur. Dispensandi inprimis, & pro his altera supponendi pernicioza libertas. Quæ pro antidotis venena subinde propinat. Ut, unde debebat salus agris, exitium veniat. His malis, dum
suos*

suos omnes salvos cupiunt, & securos, maturius,
 aut serius alii occurrerunt. Nos longissimum tuli-
 mus in-viti. Causâ duplici: & quia labor majores
 nostros non sequebatur: & quia mors affecuta est,
 & aliquoties filum hoc operis præcidit. Interea ni-
 bil non in pejus ruere. Fraudes esse passim apud
 sordidè lucellum ligurientes. Facies emi, sordes ven-
 di. Neque Medicis sapiuscule tutum offerre, neque
 salutare agris pharmaca sumere. Ut, quæ nobis
 querela, justior à nobis fuerit futura, nisi in tem-
 pore obviam itum. In tempore: & satis, si quam
 nunc componendi legem non promulgat modò, sed
 Ampliùs. Senatus nostri auctoritas imponit, im-
 perat, & sacram voluit, sarta tecta conservetur.
 Sedenim verò ne id quidem tam ab legis æquitate
 expectamus, quàm à cujusque candore, & fide,
 sanctissimo humani pectoris bono, quæ nullâ neces-
 sitate ad fallendum cogitur, nullo corrumpitur
 præmio. Norunt omnes, quàm in præpete morbo
 sit præceptus occasio. Norunt, quàm non liceat hîc
 bis peccare. Norunt, de vitâ agi, de sanitate, &
 quæ ab eâ est, humanâ felicitate. Igitur æqua lex
 est, quæ in præscribendo Medicis, in obsecundando
 Pharmacopœis, ab utrisque auxilium imploran-
 tibus securitatem præstat. Ut præstaret, omnes ad-
 laboravimus, ut omnia quàm emendatissima
 essent,

essent, omnia crebro usu probata. Adjumentum nobis in eo ab eruditis, ab expertis viris, qui praeiverunt. Quorum scripta diligenter comparavimus, & judicio ex iis elegimus, aut rejecimus. Totum sic contraximus, ut ad necessitatem omnia, ad ostentationem nihil. Sine justâ causâ non descivimus ab Antiquitate. Quaedam ratio jussit mutare, quaedam experientia docuit. Quas nobis Aquas composuimus, macerari volumus, quòd sic vires constet potentiùs extrahi. Syrupis à coctione cavimus, quibus ab acore gratia, aut odore. etiam leniter expurgandis humoribus destinatis. etiam Pilulis aloëphanginis, quæ sua aromatis debent, cum aurâ ceteroquin evanidis. In multis hæc cura frustra fuit, quòd cogere mur permiscendi modum artificio relinquere. Sed tamen cùm opus fuit, prætulimus facem, sed non nisi cùm opus. Ab Electuariis Hamech, & Rosaceo remoras removimus, Myrobalanos, Spodium. Ad Diacatholicôn, ne te titulus fallat, Mechoacanam adjecimus. In Pulveribus, pro majoribus semina minora scias substituta, quòd & brevi illa rancescant, & putrescente succo ipsâ materie è vermiculorum genere teredines pariant. In cæteris quoque pro incertis certa, cognita pro ignotis, & vix notis successisse. Pleraque aliorum auctoritate: nostrâ, solus Plinii Garyo-

*Garyophyllus Amomi locum tenet. Quæ præterea nova sunt, ex inscriptione innotescunt, aut Simpli-
cium examine, ut non fuerit opus monere, cur nova
sint. Hoc unum. E mucaginibus oleum semel fieri
jussum, ut semper Vnguentis, & Emplastris præ-
stò foret. Etiam in suos usus. Quædam desideras?
adsunt. aut carere potes. Pluries bina, terna,
quaterna medicamenta, præter paucissima, ex iis-
dem constabant. Quid vetat unum fieri, quod sit
pro omnibus? Non sufficit. Postulant alii mor-
bi alia remedia. A limine offendes cornucopiæ, ubi
inest, quidquid voles. Compone in horas, in even-
tus misce. E Chymiâ adscripsimus, quæ olim in usu.
Ut habeant, quibus ea placuerunt. De Ordine jam
cœpimus dicere, Simplicia esse præmissa: mox quæ
intrò sumuntur: mox quæ foris applicantur: liquida
primùm, inde solidiora. De singulorum Vsu nihil
per se sapientibus: néve haræ rosas spargamus, lilia
stabilis. De Dosibus nihil, ne puero gladium.
Vides Lector, quid egerit in tuam salutem*

Medicorum Collegium.



uandoquidem Ampliff. D D. Consulibus & Scabinis enormes innotuerunt abusus, qui in medicamentorum præparatione à Pharmacopœis committuntur, tùm, quòd communis formula non extet, juxta cujus normam quævis officina teneatur medicamenta sua componere, tùm quòd ob Urbis magnitudinem, & officinarum frequentiam sciri à Medicis nequaquam hæctenus potuerit, quid in singulis prostacket, multo minus, quo illud modo ibidem præparatum fuerit. Quorum ignoratione incerta multùm facta est ars medica, plurimisque periculis ægri expositi, magno Reipubl. detrimento, & Medicorum non levi dedecore. Atque his de causis Placuit iisdem Ampliff. D D. (quibus à Medicis oblatum est DISPENSATORIVM, in quod hi ex omnibus scriptoribus ea, quæ maximè convenire judicarunt, medicamenta retulerunt, & collegerunt) Reipubl. salutem, & Medicorum honorem cordi ducentibus, ut obviam eant cunctis illis malis & incommodis, ad exemplum diversarum illustrium civitatum, & intellectâ super hac re Senatus sententiâ: Omnibus Pharmacopœis tùm qui jam instituerunt, tùm qui aliquando in hac urbe suas officinas sunt instituturi, mandare, ut id ipsum DISPENSATORIVM, quod omnium usui imprimatur, atque propediem in publicum dabitur, sequantur in suarum officinarum instructione, neque ab eo deflectant, utque qui secus fecisse, ignotasque medicamentorum compositiones alias, præterquam quæ in dicto libro continentur, in suis officinis habere deprehensi fuerint, pendant primâ vice pœnam duodecim Carolinorum, secundâ vice viginti quinque Carolinorum, tertiâ verò vice Occlusionis officinarum, ac omnia medicamenta vœnum exponendi potestatis interdictæ ad sex septimanas. Vt verò præscripta Lex strictiùs observetur, singulæ in posterum officinæ bis terve quotannis à binis ternisve Medicinæ Doctoribus (ad id annuatim à Magistratu delegandis) visitabuntur, multæque dicentur transgressoribus. Præterea omnes Pharmacopœi tenebuntur his Medicinæ Doctoribus, quod muneris sui est exequentibus, debitum honorem deferre, atque officinas accedentibus absque ullâ tergiversatione, nec refractariè monstrare, quæcunque fuerint jussi. Qui aliter faxint, multabuntur viginti quinque Carolinis, nihilque minus tenebuntur, quæ ab iis petent Doctores ostendere, atque in omnibus & singulis præsentis Edicti obsequi. Quarum omnium multarum pars altera redigetur in fiscum, altera relinquetur arbitrio D D. Iudicum.

Subscriptum:

Publicatum xxix Aprilis, cIo Io c xxxvi. Præsentib. ut in Reg. Coll.

D. MOSTART.

P H A R M A C O P O E A

A M S T E L R E D A M E N S I S .

S E C T I O P R I M A .

De Medicamentis Simplicibus
in officinis asservandis.

R A D I C E S .



cori.

Althææ.

Angelicæ.

Apii.

Ari.

Aristolochiæ longæ.

rotundæ.

tenuis.

Afari.

Asparagi.

Bistortæ.

Bryoniæ.

Caryophyllatæ.

Chinæ.

Consolidæ majoris.

Contra-yervæ.

Costi.

Curcumæ.

Cyclamini.

Cyperi longi.

rotundi.

Doronici Romani.

Ebuli.

Efulæ utriusque.

Eryngii.

Filicis.

Fœniculi.

Fraxinellæ , *seu*

Dictamni albæ.

Galangæ.

Gentianæ.

Glycyrrhizæ.

Graminis.

Helenii.

Hellebori albi.

nigri.

Hermodactylorum.

Ialappæ.

Imperatoricæ.

Iridis Florentinæ.

A

Mandra-

Mandragoræ.
 Mechoacanæ.
 Meü.
 Nymphææ.
 Ononidis.
 Pæoniæ.
 Pentaphylli.
 Petasitidis.
 Petrofelini.
 Peucedani.
 Phu, seu Valerianæ.
 Pimpinellæ.
 Polypodii quercini.
 Pyrethri.
 Raphani.
 Rhabarbarum.
 Rhaponticum.
 Rubiæ tinctorum.
 Rusci.
 Saxifragiæ.
 Scorzoneræ.
 Scilla.
 Spica Nardi Celtica.
 Indica.
 Tormentillæ.
 Turbith.
 Vincetoxici.
 Zarzæparillæ.
 Zedoariæ.
 Zingiberis.

His adnumerentur

Fungi.
 Agaricus.
 Auriculæ Iudæ.
 Orbicularis (*nostro
 idiomate Bovist.*)

C O R T I C E S.

Arantiorum.
 Citriorum.
 Cinamomum.
 Casia lignea.
 Fraxini.
 Glandium calices.
 Granatorum.
 Ligni Guajaci.
 Macis.
 Radicum Capparum.
 Tamarisci.

L I G N A.

Aloes.
 Aspalathum.
 Guajacum.
 Nephriticum.
 Rhodium.
 Santalum album.
 citrinum.
 rubrum.
 Sassa-

Sassafras.

Visci quercini.

FOLIA, & HERBÆ.

Abrotani maris.Absinthii vulgaris,
seu latifolii.

Romani,

seu tenuifolii.

Adanthi utriusque.

Anethi summitates.

Agrimonix.

Alchimillæ.

Althææ.

Arthemisix.

Betonicæ.

Botryos.

Calaminthæ.

Capillorum Veneris.

Cardui benedicti.

Caudæ equinæ.

Centaurii minoris cum
floribus.

Dictamni Creticæ.

Epithymi.

Erysimi.

Eupatorii aquatici.

Euphragix cum flori-
bus.

Fumariæ.

Hyperici cum floribus.

Hyssopi.

Lavendulæ cum flori-
bus.

Lauri.

Lupuli.

Majoranæ.

Malvæ.

Marrubii, *seu* Prasii.

Matricariæ.

Melissæ.

Menthastri.

Menthæ crispæ.

aquaticæ.

Mercurialis.

Origani Cretici.

vulgaris.

Parietariæ.

Persicariæ.

Pilosellæ.

Polii montani.

Polytrichi.

Pulegii.

Pulmonariæ.

Pyrolæ.

Quercus.

Rorismarini.

Rutæ.

Rutæ murariæ.

Sabinæ.
 Salviæ.
 Saniculæ.
 Saturejæ.
 Scabiofæ.
 Scordii.
 Senæ.
 Serpylli.
 Soldanellæ.
 Thymi cum floribus.
 Tuffilaginis.
 Verbasci.
 Verbenæ.
 Veronicæ.

FLORES.

Balauftia.
 Betonice.
 Borriginis.
 Buglossæ.
 Calendulæ.
 Caryophylleus.
 Chamæmeli.
 Crocus.
 Meliloti.
 Nymphææ albæ.
 Pæoniæ.
 Papaveris erratici.
 Rorismarini.

Rofarum rubrarum.
 Salviæ.
 Sambuci.
 Schoenanthum.
 Stœchadis.
 Tiliæ.
 Verbasci.
 Violarum.

SEMINA.

Acetofæ.
 Agni casti.
 Althææ.
 Ammios.
 Amomi.
 Anethi.
 Anifi.
 Apii.
 Aquilegiæ.
 Asparagi.
 Atriplicis.
 Bardanæ.
 Berberorum.
 Bombacis.
 Cannabis.
 Cardamomum minus.
 Cardui benedicti.
 Carei.
 Cicer rubrum,
 Citri.

Citri.
 Citrulli.
 Cnici, *seu* Carthami.
 Coriandri.
 Cubebe.
 Cucumeris.
 Cucurbitæ.
 Cumini.
 Cydoneorum.
 Dauci.
 Endiviæ.
 Fœniculi dulcis.
 vulgaris.
 Fœnugræci.
 Fumariæ.
 Genistæ.
 Grana Paradisi.
 Hordeum integrum.
 mundatum.
 Hyperici.
 Hyoscyami albi.
 Lactucæ.
 Levistici.
 Lini.
 Lupini.
 Malvæ.
 Melonum.
 Milii Solis.
 Napi.
 Nasturtii.

Nigellæ.
 Nuclei persicorum.
 Ocymi.
 Oleris atri.
 Orobi.
 Pæoniæ.
 Papaveris albi.
 nigri.
 Petroselini Macedonici.
 vulgaris.
 Plantaginis.
 Portulacæ.
 Pfyllii.
 Raphani.
 Rusci.
 Rutæ.
 Santonici.
 Saxifragiæ.
 Scariolæ.
 Sileris montani.
 Sinapi.
 Sophiæ.
 Staphidis agriæ.
 Sumach.
 Vrticæ.

FRUCTVS.

Alkekengi, *seu*
 Halicacabi.

A 3

Amyg-

Amygdalæ amaræ.
dulces.

Capita Papaveris.

Carpobalsamum.

Caryophylli.

Casia fistularis.

Colocynthis.

Dactyli.

Ficus.

Gallæ.

Garyophylli Plinii.

Glandes.

Iujubæ.

Iuniperi Baccæ.

Kermes grana, *seu*
Coccus Baphica.

Lauri Baccæ.

Mespila immatura.

Myrobalani Belliricæ.

Chebulæ.

Citrinæ.

Emblicæ.

Indæ.

Myrtilli.

Nux Cupressi.

Moschata.

Vomica.

Passulæ majores.

minores.

Piper album.

longum.

nigrum.

Pruna.

Sebesten.

Siliquæ dulces.

Tamarindi.

F A R I N Æ.

Fabarum.

Fœnugræci.

Hordei.

Lupinorum.

Radicum Althææ.

Consolidæ ma-
joris.

Seminum lini.

Volatilis.

S V C C I L I Q V I D I.

Agræstæ, *seu*
Omphacium.

Berberorum.

Cydoneorum.

Fumariæ.

Granatorum.

Limonum.

Rosarum pallidarum.

SUCCI CONDENSATI,
GUMMI,
&
RESINÆ.

Absinthii Romani, &
vulgaris succus.

Acacia vera.

Aloë.

Ammoniacum.

Amylum.

Aſa foetida.

Balsamum Peruvianum.

Bdellium.

Benzoinum.

Bitumen Iudaicum.

Caphura.

Colophonia.

Elaterium.

Eupatorii aquatici suc-
cus.

Euphorbium.

Galbanum.

Ghitta jemou, seu

Gutta gamba.

Glycyrrhizæ succus.

Gummi Anime.

Arabicum.

Caranna.

Elemni.

Hederæ.

Tacamahaca.

Hypocistidis succus.

Lacca.

Ladanum.

Liquid-Ambar.

Manna.

Mastiche.

Myrrha.

Opium.

Opobalsamum.

Opopanax.

Resina Abietina.

Laricea.

Pini.

Terebinthina.

Saccharum album.

rubrum, sive

Thomæum.

cantum album.

rubrum.

Sagapenum.

Sandaracha Arabum, seu

Gummi Iuniperinum.

Sanguis Draconis.

Sarcocolla.

Scammonium.

Styrax Calamita.

liquida.

Succi-

Succinum album.
 citrinum.
 Tartarum Vini albi.
 Thus.
 Tragacanthum.

ANIMALIA,
 EORVM PARTES,
 &
 EXCREMENTA.

Adeps Anatis.
 Anseris.
 Cervi.
 Gallinæ.
 Hominis.
 Taxi.
 Vrsi.

Axungia Porci.
 Bezaar Occidentalis.
 Orientalis.

Cancrorum fluuiatilium
 Oculi.

Cantharides.

Castoreum.

Cera alba.

flava.

Cornu cervi.

Cranium hominis vio-
 lenta morte extincti.

Ebur.
 Hirci Sanguis præpara-
 tus.
 Ichthyocolla.
 Lucii mandibulæ.
 Mel.
 Moschus.
 Mumia.
 Sanguifugæ.
 Scincus.
 Sepiæ os.
 Serici folliculi.
 Sevum hircinum.
 Sperma Ceti.
 Spodium ex ebore.
 Vnicornu.
 Zibettum.

MINERALIA,
 METALLA,
 &
 LAPIDES.

Ærugo.

Æs ustum.

Alumen rupium.

plumeum.

ustum.

Antimonium.

Argen-

Argentum foliaceum.
vivum.

Arsenicum album.

Auripigmentum.

Aurum foliaceum.

Bolus Armenia.
vulgaris.
alba.

Borax.

Cerussa.

Chalcitis.

Chalybs.

Chryfocolla.

Cinnabaris.

Cryftallus.

Granatus.

Hyacinthus.

Lapis Armenius.

Calaminaris.

Hæmatites.

Lazuli.

Lithargyrus argenti.
auri.

Magnes.

Minium.

Osteocolla.

Plumbum uftum.

Pompholyx.

Rubinus.

Sal Armeniacus.

Gemmæ.

Petræ, seu Nitrum.

Sapphirus.

Sardus.

Smaragdus.

Sublimatum.

Sulphur.

Terra Lemnia.

Tutia officinarum.

Vitriolum album.

Hungaricum.

Romanum.

Vitrum Antimonii.

MARINA.

Ambra grifea.

Blatta Byzantia.

Coralli albi.

rubri.

Corallina.

Margaritæ.

Pumex.

Spongia.

B SECTIO

S E C T I O . S E C V N D A ,
De Aquis , & Acetis.

AQVÆ SIMPLICES STILLATITIÆ.

A cetosa.	Fumaria.
Betonica.	Lactuca.
Caprifolii.	Melissa.
Cardui benedicti.	Mentha.
Chelidonii majoris.	Petroselini.
Cichorei.	Plantaginis.
Fœniculi.	Portulacæ.
Florum Fabarum.	Pulegii.
Lavendulæ.	Solatri.
Liliorum con-	Spermatis Ranarum.
vallium.	<i>His annumeretur</i>
Rosarum.	Aqua Nivis Martialis.
Tilia.	

Omnes hæ Aquæ destillabuntur more consueto, notando tantum, ut Vesica, cucurbita ampla, aliudve vas continendæ materiæ destillandæ idoneum, sit æneum, stanno undiquaque incrustatum. Alembicus verò, seu capitellum, cum suo rostro, tubuloque (Serpentina dicto) ex ipso stanno constet.

AQVÆ COCHLEARIÆ.
RORIS SOLIS.

Per se in Balneo Maris ex Alembico vitreo destillandæ.

AQVA CENTAVRII MINORIS.
GRAMINIS.

Rj. Herbæ Centaurii minoris, *vel*
Radicum Graminis q. f.

Contusæ macerentur affusâ aquâ ad eminentiam duorum digitorum cum tantillo salis, & putrescant per aliquot dies, donec subacescant : postea destillentur in B. M. usquedum dimidium aquæ affusæ exstillârit.

AQVA CINAMOMI.

Rj. Cinamomi contusi Libram unam & semis.
Aquæ Hordei Libras octo.

Destillentur in B. M. quamdiu aqua exiens lacteum colorem servat.

AQVA MELLIS.

Rj. Mellis q. f.

Vt repleatur decupla pars cucurbitæ amplæ terreæ, vel vitreæ cum Alembico vitreo, & Balneo bulliente destilletur phlegma, seu Aqua Mellis. Cùm autem guttæ incipiunt acescere, vase arenæ imposto, aucto igne liquor secundus, & tertius extrahantur.

AQVÆ COMPOSITÆ.

AQVA ANT-EPILEPTICA.

℞. Radicum Pæoniæ maris ficcatar. libram semis.

Angelicæ,

Aristolochiæ longæ,

Fraxinellæ,

Foliorum Origani Cretici,

Rutæ,

Salviæ, ana Vnciam unam.

Florum Pæoniæ maris,

Betonicæ,

Liliorum convallium,

Rorismarini,

Tiliæ, ficcatorum,

Seminum Ammios Orientalis,

Nigellæ, ana Vnciam semis.

Pæoniæ Vncias duas.

Casix lignæ,

Caryophyllorum,

Cardamomi minoris,

Nucis moschatæ,

Olei Vitrioli, ana Drachmas duas.

*Pulverandis crasse pulveratis affundantur Spiritus Vini
libra octo, macerentur per octiduum vase bene clauso; deinde
colentur per setaceum densissimum: colatura servetur in vitreo
nimbo probe obturato.*

A Q V A H Y S T E R I C A .

℞. Radicum Bryoniæ ficcatarum Vncias duas.
 Foliorum Arthemisiæ,
 Dictamni Creticæ,
 Matricariæ,
 Nepetæ,
 Ocymi,
 Pulegii,
 Rutæ,
 Sabinæ, in umbrâ ficcatorum,
 ana Vnciam semis.
 Corticum Arantiorum exteriorum ficcato-
 rum Vnciam unam semis.
 Myrrhæ,
 Castorei, ana Drachmas tres.
 Croci Drachmam unam.

*Pulverata macerentur per octiduum in Spiritus Vini libris
 tribus, deinde colentur per setaceum densissimum: colatura ser-
 vetur in nimbo vitreo benè obturato.*

A Q V A T H E R I A C A L I S .

℞. Corticum Citriorum exteriorum,
 Radicum Petasitidis, ficcatorum,
 Radicum Glycyrrhizæ,
 Pimpinellæ,
 Tormentillæ, ana Vncias duas.
 Angelicæ,

Ari,
 Dictamni albæ,
 Gentianæ,
 Imperatoriæ,
 Vincetoxici,
 Zedoariæ,
 Foliorum Cardui benedicti,
 Rutæ,
 Scabiosæ,
 Scordii, ficcatorum, ana Vnc. unam.
 Seminum Acetosæ,
 Citri, ana Vnciam semis.
 Croci Britannici Drachmas duas.
 Caphuræ Drachmam unam & semis.

*F. omnium pulvis crassus, maceretur per diem naturalem
 in B. M. cum Spiritus Vini libris novem, vase benè clauso: de-
 inde colentur per setaceum densissimum: colaturæ adde*

Theriacæ veteris Vncias tres.
 Olei Sulphuris Drachmas duas.

Serventur in vitreo nimbo diligenter obturato.

AQUA VITÆ COMPOSITA.

R̄. Cinamomi Vncias tres.
 Glycyrrhizæ rasæ Vncias duas.
 Santalorum omnium, ana Drachmas sex.
 Radicum Caryophyllatæ,
 Galangæ,
 Zingiberis,

Corti-

Corticum Arantiorum exteriorum ficcatorū,
Citriorum, ana Drachmas duas &
semis.

Nucis moschatae,
Macis,
Cardamomi minoris,
Seminis Nigellae, ana Drachmas tres.
Anisi,
Dauci Cretici,
Foeniculi dulcis,
Ocymi, ana Drachm. unam & semis.

Foliorum Majoranae,
Salviae,
Satureiae, ana Vnciam semis.
Florum Caryophylleorum fragrantium,
Rorismarini,
Rosarum rubrarum, ana Drach. duas.

*F. omnium pulvis crassus : cujus dimidia pars octiduo ma-
ceretur in Spiritus Vini libris tribus: dein fiat colatura per den-
sum setaceum.*

Alteri dimidia addantur

Pulveris Diamargariton frigidī,
Diambrae, ana Drachmas tres.

Macerentur, & colentur ut ante: colaturae indantur

Ambrae griseae,
Moschi, in nodulo ligatorum, ana Scrup. semis.
Iulapii rosacei Vnciae sex.

Utraque colatura in nimbo vitreo obturato servetur.

DE ACETIS.

ACETVM CALENDVLÆ.
 LAVENDVLÆ.
 ROSACEVM.
 SAMBVCINVM.

Fiunt omnia eodem modo.

R̄. Florum q. v.
 Aceti Vini q. f.

Insolentur æstivis caloribus in vase vitreo, vel fictili vitreato oris angusti per dies quadraginta, aut plures; deinde colentur, & reponantur.

ACETVM SCILLITICVM.

R̄. Radicum Scillæ in taleolas sectarum, filo tractarum, & modicè exsiccatarum Libram unam.

Aceti Vini Libras octo.

Insolentur, colentur, reponantur ut antè.

SECTIO

S E C T I O T E R T I A,

De Syrupis, Melitis, & Rob.

S Y R V P V S A B S I N T H I I C O M P O S I T V S.

Rj. Absinthii Romani Vncias sex.
Rosarum rubrarum Vncias duas.
Spicæ Nardi Indicæ Drachmas tres.

*Contusa macerentur horis viginti quatuor in
Vini albi veteris, ac odori,
Succi Cydoneorum depurati, ana Libris dua-
bus & semis.*

*Coquantur igne lento ad medias : deinde colentur : Cola-
tura clarificata addantur*

Mellis despumati, & ad consistentiam cocti,
Libræ duæ.

Coquantur denuò in Syrupi consistentiam.

S Y R V P V S A C E T I.

Rj. Sacchari clarificati, & ad consistentiam tabu-
lati cocti, Libras quatuor.

Illi affunde, & permisce in vase fictili

Aceti Vini albi q. f.

Vt sine coctione redigantur agitando in Syrupum.

S Y R U P V S S U C C I A C E T O S Æ.

R̄. Sacchari clarificati ad consistentiam tabellati
cocti Libras quatuor.

Illi affunde, & permisce in vase fictili

Succi Acetosæ per subsidentiam depurati, &
colati q. f.

*Vt sine coctione agitando s. a. redigantur in consistentiam
Syrupi.*

Eodem modo fiunt:

S Y R U P V S A G R E S T Æ.

C Y D O N E O R V M.

G R A N A T O R V M A C I D O R V M.

D V L C I V M.

L I M O N V M.

I V L A P I V M R O S A C E V M.

R̄. Sacchari clarificati ad consistentiam tabellati
cocti Libras duas.

Illi affunde, & permisce

Aquæ Rosarum q. f.

*Vt agitando sine coctione redigantur in consistentiam Syru-
pi dilutioris.*

O X Y S A C C H A R V M S I M P L E X.

R̄. Sacchari clarificati in consistentiam tabellati
cocti Libram unam.

Illi affunde, & permisce in vase fictili

Succi Granatorum acidorum partes duas,
Aceti Vini albi partem unam,

*Eâ singulorum quantitate, ut sine coctione agitando redi-
gantur in Syrupum.*

S Y R V P V S V I O L A C E V S S I M P L E X.

R̄. Florum Violarum recentium, mundatorum à
caliculis, & contusorum, Vncias decem.

Aquæ puræ Vncias quadraginta.

Fortiter per linteum exprime: expresso adde

Sacchari purissimi pulverati q. s.

Vt continua agitatione redigantur in consistentiam Syrupi.

S Y R V P V S A L T H Æ Æ F E R N E L I I.

R̄. Radicum Althææ Vncias duas.

Cicerum rubrorum Vnciam unam.

Radicum Asparagi,

Glycyrrhizæ rasæ,

Graminis,

Vvarum passarum ab arillis expurgatarum,
ana Vnciam semis.

Summitatum Althææ,
 Herbarum Adianthi utriusque,
 Malvæ,
 Parietariæ,
 Pimpinellæ,
 Plantaginis, ana Manipul. unum.
 Seminum quatuor frigidorum majorum,
 minorum,
 contusorum, ana Drachmas tres.

*Coquantur in aquæ s. q. ad tertiæ partis consumptionem :
 Colatura cum*

Sacchari albi Libris quatuor,

Coquatur in Syrupum.

S Y R V P V S . A R T H E M I S I Æ F E R N E L I I .

R. Radicum Fœniculi,
 Helenii,
 Iridis,
 Levistici,
 Pæoniæ,
 Rubiæ tinctor. ana Vnciam semis.

Herbarum Arthemisiæ Manipulos duos.

Betonicæ,
 Calaminthæ,
 Chamædryos,
 Chamæpityos,
 Hyssopi,
 Hyperici,

Majo-

Majoranæ,
 Matricariæ,
 Melissæ,
 Nepetæ,
 Origani,
 Prasii,
 Pulegii,
 Sabinæ, ana Manipulum unum.

Seminum Anisi,
 Dauci,
 Fœniculi,
 Nigellæ,
 Ocymi,
 Petroselini,
 Rutæ, ana Drachmas tres.

*Contusa, & incisa macerentur horis viginti quatuor in
 Hydromelitis dilutioris Libris octo.*

*Coquantur postea ad Libras quinque, & cum
 Sacchari Libris quinque,*

Percoquantur in Syrupum, condiendum

Cinamomi Vnciâ unâ.

Spicæ Indicæ Drachmis tribus.

S Y R V P V S S V C C I B E T O N I C Æ.

R̄. Succii Betonice depurati Libras tres.
 Sacchari albi Libram unam & semis.

Coquantur in Syrupi consistentiam.

Eodem cum præcedenti modo fiunt :

S Y R V P V S B O R R A G I N I S.
 C A R D V I B E N E D I C T I.
 C I C H O R E I S I M P L E X.
 S C A B I O S Æ.

S Y R V P V S B O T R Y O S.

R̄. Herbarum Botryos Manipulos tres.
 Eryfimi,
 Vrticæ, ana Manipulos duos.
 Caulium rubrorum,
 Tuffilaginis, ana Manipulum unum
 & semis.

Coquantur in s. q. aquæ : colaturæ adde

Sacchari albi Libras duas & semis.

Clarificata coquantur in Syrupum.

S Y R V P V S B Y Z A N T I N V S.

R̄. Succorum Apii,
 Intybi fativi, ana Libras duas.
 Buglossæ,
 Lupuli, ana Libram unam.

Coquendo purgentur dum clarescant; & addendo

Sacchari Libras tres;

Percoquantur in Syrupum.

S Y R V P V S C A P I L L O R V M V E N E R I S.

R̄. Herbæ Capilli Veneris recentis, & parùm incisæ Vncias quinque.

Radicum Glycyrrhizæ rasæ Vncias duas.

Macerentur viginti quatuor horis in s. q. aquæ calentis; deinde bulliant parùm: colaturæ clarificatæ Libris quinque adde

Sacchari Libras quatuor.

Coquantur in Syrupum.

S Y R V P V S C I C H O R E I C V M R H A B A R B A R O.

R̄. Radicum Apii,
Asparagi,
Fœniculi, ana Vncias duas.

Herbarum Cichorei,

Endiviæ fativæ,

Taraxaci, ana Manipulos duos.

Fumariæ,

Hepaticæ, seu Lichenis,

Lactucæ,

Lupulorum,

Sonchi lævis, ana Manipul. unum.

Capilli Veneris,

Hordei integri, ana Vnciam unam & semis.

Fructuum Alkekengi,

Glycyrrhizæ rasæ, ana Drachmas sex.

Coquantur in s. q. aquæ ad tertie partis consumptionem; deinde percolentur; addendóque

Sacchari

Sacchari albi Libras quatuor.

Clarificata coquantur in Syrupum.

Interea

R̄. Rhabarbari electi Vncias quatuor.

Spicæ Nardi Indicæ Drachmas duas.

Infundantur in s. q. decocti præscripti ; post levem ebullitionem colatura fortiter expressa misceatur Syrupo sub finem coctionis.

S Y R V P V S D I A C N I C V A N D E R N A C I.

R̄. Radicum Angelicæ,

Apii,

Asparagi,

Fœniculi,

Glycyrrhizæ, ana Vnciam unam.

Polypodii quercini Vnciam unam

& semis.

Corticum Tamarisci Vnciam semis.

Herbarum Adianthi,

Buglossæ,

Chamædryos,

Chamæpityos,

Hyssopi,

Origani,

Scolopendrii,

Thymi, ana Manipulum semis.

Cuscutæ,

Fructuum Alkekengi, ana Vnciam semis.

Vvarum

Vvarum passarum ab arillis expurgatarum
Vncias duas.

Seminum Cnici contusorum Vncias quatuor
& semis.

Anisi,

Ammios,

Dauci,

Fœniculi, ana Vnciam unam.

*Coquantur in s. q. aquæ ad tertiæ partis consumptionem :
colatura adde*

Sacchari albi clarificati Libras duas.

Percoquantur in consistentiam Syrupi.

Interea

R. Foliorum Senæ mundatorum Vncias qua-
tuor.

Rhabarbari electi Vnciam unam & semis.

Agarici trochiscati Vnciam semis.

Zingiberis Drachmam unam.

*Macerentur calidè per noctem in s. q. decocti præscripti.
Sequenti die leviter ebulliant ; colentur , & exprimantur , mi-
sceanturque Syrupo sub finem coctionis.*

SYRVPVS DIACODION MONTANI.

R. Capita Papaveris albi sine feminibus, viginti.

Siliquarum dulcium sine granis, Vncias tres.

Radicum Althææ,

Glycyrrhizæ rasæ, ana Vncias
duas.

D

Coquan-

Coquantur in aquæ Libris duodecim ad consumptionem trium partium. Colaturæ expressæ Libris tribus adde Sacchari canti rubicundi Libram unam & semissem.

Coquantur ad consistentiam Mellis, seu Syrupi spissioris.

S Y R V P V S F V M A R I Æ.

R̄. Herbarum Absinthii Romani,
Cuscutæ,
Endiviæ,
Lupuli,
Scolopendrii, ana Manipul. unum.
Epithymi Vnciam unam & semis.

Coquantur in aquæ s. q. ad medias : colaturæ adde

Succorum Fumariæ Libram unam & semis.

Borraginis,

Buglossæ, ana Libram semis.

Sacchari albi Libras quatuor.

Percoquantur in Syrupum.

S Y R V P V S G L Y C Y R R H I Z Æ.

R̄. Radicum Glycyrrhizæ rasæ Vncias duas.
Herbarum Tussilaginis Manipulos quatuor.
Capilli Veneris Vnciam unam.
Hyssopi Vnciam semis.

Macerentur horis viginti quatuor in s. q. aquæ ; deinde coquantur ad consumptionem partis dimidiæ : colaturæ adde

Mellis

Mellis optimi despumati,
Sacchari albi, ana Libram unam.

Percoquantur in Syrupum.

S Y R V P V S H Y S S O P I.

R̄. Herbarum Hyssopi Vnciam unam & semis.
Capilli Veneris Drachmas sex.

Radicum Apii,
Fœniculi,
Glycyrrhizæ rasæ,
Petroselini, ana Drachmas decem.

Iujubas,
Sebesten, ana Triginta.

Ficus pingues,
Dactylos pingues, ana Decem.

Vvarum passerarum ab arillis expurgatarum
Vnciam unam & semis.

Hordei mundati Vnciam semis.

Seminum Cydoneorum,
Malvæ, ana Drachmas tres.

Coquantur in s. q. aquæ: colaturæ adde

Sacchari albissimi Libras duas.

Clarificata coquantur in Syrupum.

S Y R V P V S I V I V B I N V S.

R̄. Iujubas Sexaginta.
Hordei mundati,

Radicum Glycyrrhizæ rasæ,
 Herbæ Capilli Veneris, ana Vnciam unam.
 Florum Violarum,
 Seminum Malvæ, ana Drachmas quinque.
 Cydoneorum in nodulo ligatorum,
 Lactucæ,
 Melonum,
 Papaveris albi, ana Drachmas tres.

*Coquantur in s. q. aquæ ad consumptionem medietatis:
 colaturæ adde*

Sacchari clarificati Libras duas.

Percoquantur in Syrupum.

S Y R V P V S M E N T H Æ.

R. Succorum Menthæ Libram unam.
 Cydoneorum,
 Granatorum, depuratorum,
 Infusionis Rosarum rubrarum, ana Libram
 semis.
 Sacchari albi,
 Mellis despumati, ana Libram unam & semis.

*Decoquantur s. a. in Syrupum, sub finem coctionis con-
 diendum aromatici*

Pulveris Diarrhodôn Abbat. in nodulo ligati,
 Vnciâ semis.

Reponatur in usum.

S Y R V P V S M Y R T I N V S.

R̄. Baccarum Myrti Vncias duas & semis.
 Mespilorum immaturorum Libram semis.
 Seminum Oxyacanthæ, seu Berberi,
 Sumach, seu Rhois obsoniorum,
 Balauftiorum,
 Rosarum rubrarum,
 Santali albi,
 rubri, ana Vnciam unam & semis.

Contusa coquantur in aquæ s. q. ad tertiæ partis consumptionem: expresso adde

Sacchari clarificati Libras quinque.

Percoquantur denuò ad spissiore consistentiam, sub finem addendo

Succi Cydoneorum,
 Granatorum, depuratorum, ana Libras
 duas.

Fiat s. a. Syrupus.

S Y R V P V S P A P A V E R I S.

R̄. Capitem Papaveris albi maturorum, & ficatorum, Vncias decem.

Coquantur in aquæ s. q. ad medias: colaturæ adde

Sacchari albi Libras duas & semis.

Percoquantur in Syrupum.

S Y R V P V S P A P A V E R I S
E R R A T I C I.

R̄. Florum Papaveris erratici recentium Libras tres.

Coquantur s. a. in s. q. aquæ: colaturæ deinde fortiter expressæ adde

Sacchari albi clarificati Libras tres.

Percoquantur in Syrupum.

S Y R V P V S P O R T V L A C Æ.

R̄. Succorum Portulacæ Libram unam.

Bellidis,

Fragariæ,

Lactucæ,

Plantaginis,

Sempervivi medii,

Violaria, depuratorum, ana Vncias duas.

Seminum Cydoneorum in nodulo ligatorum Drachmas duas.

Sacchari albi Libras duas.

Coquantur in Syrupum.

S Y R V P V S Q V I N Q V E R A D I C V M.

R̄. Radicum Apii,
 Asparagi,
 Fœniculi,
 Petroselini,
 Rusci, recentium, ana Vncias qua-
 tuor.

Coquantur in s. q. aquæ: colaturæ adde

Sacchari albi Libras quatuor.

Clarificata percoquantur in Syrupum.

S Y R V P V S R O S A R V M

S I C C A T A R V M.

R̄. Rosarum rubrarum siccatarum Libram unam.

*Macerentur calidè horis viginti quatuor in aquæ tepidæ
 s. q. Colaturæ expressæ adde*

Sacchari albi Libras duas.

Percoquantur in Syrupum.

S Y R V P V S R O S A R V M S O L V T I V V S.

R̄. Infusionis Rosarum pallidarum novies iteratæ
 Libras quinque.

Sacchari clarificati Libras quatuor.

Coquantur in Syrupum.

S Y R V P V S R O S A R V M
S O L V T I V V S C V M
S E N A.

R̄. Foliorum Senæ mundatorum Vncias octo.
Seminum Anifi,
Fœniculi dulcis, ana Vnciam semis.
*Macerentur per biduum in Infusionis Rosarum pallidarum
multiplicis s. q. Colaturæ expressæ adde
Sacchari albi Libras duas.
Coquantur in Syrupum.*

S Y R V P V S S T O E C H A D I S.

R̄. Florum Stœchadis Vncias quatuor.
Herbarum Betonice,
Calaminthæ,
Origani,
Thymi, ana Vnc. unam & semis.
Salviæ,
Florum Rorifmarini, ana Vnciam semis.
Seminum Fœniculi,
Pæoniæ,
Rutæ, ana Drachmas tres.
*Coquantur in aquæ s. q. ad medias : colaturæ adde
Sacchari albi,
Mellis optimi, ana Libras duas.
Clarificata coquantur in Syrupum.*

SYRVPVS SYMPHYTI FERNELII

℞. Radicum, & Cymarum Symphyti majoris,
Herbarum Bellidis cum toto, ana partes tres.

Betonicæ,

Pimpinellæ,

Plantaginis,

Polygoni,

Scabiosæ,

Tussilaginis,

Florum Rosarum rubrarum, ana partes duas.

*Ex omnibus virentibus tuis exprimatur Succus, coquatur,
despumetur. Ejus Libris tribus adde*

Sacchari albi Libras duas & semis.

Percoquantur in Syrupum.

SYRVPVS VIOLARVM COMPOSITVS.

℞. Foliorum Violarum virentiū Manip. quinque.

Seminum Cydoneorum,

Malvæ, ana Drachmas septem.

Iujubas,

Sebesten, ana Viginti.

Coquantur s. a. in Aquæ Hordei s. q. Colaturæ adde

Sacchari albi Libram unam & semis.

Percoquantur in Syrupum.

M E L H E R B Æ M E R C U R I A L I S.

R̄. Succi Mercurialis depurati Libras tres.
Mellis optimi despumati Libras quatuor.

Coquantur lento igne in Syrupi consistentiam.

M E L R O R I S M A R I N I.

R̄. Summitatum Rorismarini cum floribus, in
umbrâ siccatarum, Libram unam.

Macerentur parùm in s. q. aquæ; deinde cum

Mellis optimi despumati Libris tribus,

Coquantur lento igne, & calentia adhuc linteo percolentur.

Eodem modo fiunt.:

M E L C E N T A V R I I.

R O S A R V M.

M E L R O S A R V M

S O L V T I V V M.

R̄. Infusionis Rosarum pallidarum multiplicis Li-
bras quinque.

Mellis despumati Libras quatuor.

Coquantur in Syrupi consistentiam.

O X Y M E L S I M P L E X.

R̄. Mellis optimi despumati q. v.

Solvatur super cineres calidos in vase fictili: soluto admisce

Aceti Vini albi q. f.

Vt agitando sine coctione redigas in consistentiam Syrupi.

O X Y M E L S C I L L I T I C V M.

R̄. Mellis optimi despumati q. v.

Solvatur ut dictum: soluto admisce

Aceti Scillini q. f.

Vt sine coctione agitando recipiant consistentiam Syrupi.

D I A M O R O N N I C O L A I.

R̄. Succi Mororum immaturorum Celsi,

Rubi, ana Li-
bram unam.

Mellis optimi despumati Lib. unam & semis.

Coquantur s. a. in Syrupum spissorem.

D I A N V C V M M E S V Æ.

R̄. Succu Corticum viridium Iuglandium Libras
quatuor.

Mellis optimi despumati Libras duas.

Coquantur in Syrupum spissum.

R O B A C A C I Æ V V L G A R I S,

seu

P R V N E L L O R V M

S Y L V E S T R I V M.

R. Fructuum Prunellorum sylvestrium immaturorum q. s.

Coquantur ad mollitiem: trajiciatur pulpa per cribrum: trajectæ Libræ uni adde

Sacchari puri Libras duas.

Coquantur in consistentiam Rob.

R O B B E R B E R O R V M.

R I B E S I O R V M.

R. Succi Berberorum, *vel*
Ribesiorum expressi Libras duas.
Sacchari albi Libram unam.

Coquantur in consistentiam Rob.

S E C T I O

S E C T I O Q V A R T A,

De Conditis, & Conservis.

C O N D I T A.

Radices Acori vulgaris.

Cichorei.

Enulæ campanæ.

Eryngii.

Satyrii.

Scorzoneræ.

Zingiberis.

Cortices Arantiorum.

Citriorum.

Caules Lactucæ.

Flores Arantiorum.

Citriorum.

Fructus Berberi.

Cerasa.

Cerasa amarena.

Myrobalani.

Nuces Juglandes.

Moschatæ.

Ribesii.

Caro Cydoneorum.

PASSVLÆ PURGANTES.

℞. Foliorum Senæ mundatorum Vncias quatuor.
Melissæ Vnciam unam.

Seminis Fœniculi dulcis Vnciam semis.

Macerentur per noctem loco tepido in s. q. Infusionis Rosarum pallidarum multiplicis. Manè leviter ebulliant. Colaturæ expressæ Libræ uni ℥ semis adde

Sacchari albi clarificati Lib. unam & semis.

Passularum Corinthiacarum mundatarum à fordibus Libram unam.

Coquantur simul in Syrupum spissum.

CONSERVÆ.

℞. Florum Betonice.

Borraginis.

Calendulæ.

Caryophylleorum.

Cichorei.

Euphragiæ.

Malvæ.

Nymphææ.

Pæoniæ.

Rorismarini.

Rosarum pallidarum.
rubrarum.

Salviæ.

Symphyti.

Violarum.

Herbarum Absinthii Romani.
vulgaris.

Acetosæ.

Melissæ.

Menthæ.

Trifolii acetosi.

*Sicciorum singulis Libris addantur Sacchari Libræ tres.
Humidiorum verò singulis Libris Sacchari Libræ duæ.*

M A N V S C H R I S T I P E R L A T A.

℞. Sacchari albissimi Libram unam.
Aquæ Rosarum pallidarum q. f.

*Coquantur in consistentiam tabellarum, sub finem coctionis
immiscendo.*

Margaritarum præparatarum, & tritarum
Vnciam semis.

Projiciantur super marmor, & formentur Tabelle.

S A C C H A R V M A L T H Æ Æ.

℞. Pulpæ Radicum Althææ in lacte dulci ad mol-
litiem coctarum. Vncias tres.

Sacchari albissimi tenuissimè triti Lib. unam.

Aquæ Rosaceæ q. f.

F. s. a. Tabelle.

S E C T I O Q V I N T A,

De Electuariis Solutivis.

B E N E D I C T V M L A X A T I V V M.

℞. Radicum Turbith gummosarum,
 Efulæ præparat. ana Drach. decem.
 Hermodactylorum,
 Scammonii præparati,
 Florum Rosarum rubrar. ana Drach. quinque.
 Radicum Acori,
 Galangæ,
 Spicæ Nardi Indicæ;
 Zingiberis,
 Croci,
 Macis,
 Caryophyllorum,
 Piperis longi,
 Seminum Apii,
 Asparagi,
 Cardamomi minoris,
 Carei,
 Fœniculi,
 Milii Solis,
 Rufci,
 Saxifragiæ,
 Salis gemmæ, ana Drachmam unam.
 Mellis optimi despumati triplum.

F. s. a. Electuarium.

CARYOCOSTINVM BAYRI.

℞. Caryophyllorum,
 Costi odorati,
 Zingiberis,
 Cumini, ana Drachmas duas.
 Hermodactylorum,
 Scammonii præparati, ana Vnciam semis.
 Mellis Rosacei triplum.

F. s. a. Electuarium.

CONFECTIO HAMECH.

℞. Foliorum Senæ mundatorum,
 Radicum Polypodii quercini,
 Rhabarbari electi,
 Agarici albi, &
 Pulpæ Colocyntidis, in nodulo ligatorum,
 Florum Violarum,
 Herbarum Epithymi, ana Vncias duas.
 Absinthii vulgaris,
 Thymi, ana Vnciam unam.
 Seminum Anisi,
 Fœniculi,
 Rosarum rubrarum, ana Vnciam semis.

*Infunde, & decoque s. a. in s. q. Seri lactis: colaturæ
 expressæ adde*

Succi Fumariæ depurati,
 Sacchari, ana Libram unam & semis.

F

Deco-

Decoctis ad mellis consistentiam, & percolatis adde

Pulpæ Casiæ,

Prunorum,

Tamarindorum,

Mannæ Calabrinæ, ana Vnc. unam & semis.

In debitam consistentiam reductis insperge

Foliorum Senæ mundatorum,

Rhabarbari electi, ana Vnciam unam.

Scammonii præparati Vnciam unam & semis.

Seminis Fumariæ,

Anisi,

Spicæ Nardi Indicæ, ana Drachmas duas.

F. s. a. Electuarium.

D I A C A R T H A M V.

R̄. Medullæ Seminum Carthami,
Turbith gummofi, ana Vnciam unam.

Hermodactylorum,

Scammonii præparati,

Glycyrrhizæ rasæ, ana Vnciam semis.

Zingiberis,

Cinamomi, ana Drachmas duas.

Mannæ electæ,

Mellis Rosacei, ana Vnciam unam.

Sacchari albi Succo Cydoneorum soluti Li-
bram unam.

F. s. a. Electuarium.

D I A C A-

DIACATHOLICON.

Rj. Radicum Polypodii quercini Vnc. quatuor.
Seminis Fœniculi Drachmas sex.

Coquantur s. a. ex s. q. aquæ: colaturæ adde
Sacchari albi Libras duas.

Percoquantur in Syrupum; in quo dissolve

Pulpæ Casiæ,

Tamarindorum, ana Vncias duas.

Dissolutis adde

Foliorum Senæ mundatorum Vncias duas.

Rhabarbari electi,

Mechoacanæ non cariosæ, ana Vnciam unam.

Seminum Anisi Vnciam semis.

Quatuor frigidior. majorum mundatorum,

Radicum Glycyrrhizæ rasæ,

Florum Violarum, ana Drachmas duas.

F. s. a. Electuarium.

DIAPHOENICON.

Rj. Pulpæ Dactylorum mundatorum, in Hydromelite maceratorum, & cribro trajectorum, probè evaporatæ Libram unam.

Amygdalarum dulcium excorticat. Vnc. tres.

Contusis, & permixtis adde

F 2

Mellis

Mellis despumati Libras duas.

Paululum coquantur : deinde insperge pulveres sequentes :

Turbith tenuissimè triti Vncias quatuor.

Scammonii præparati Vnciam unam & semis.

Zingiberis ,

Galangæ ,

Ligni Aloes ,

Cinamomi ,

Macis ,

Foliorum Rutæ ficcatorum ,

Piperis ,

Seminum Fœniculi ,

Dauci, ana Drachmas duas.

F. s. a. Electuarium.

DIAPRVNÛM SOLVTITVM.

R̄. Pulpæ Prunorum acido-dulcium inspissatæ
Libram unam.

Tamarindorum ,

Casiæ , in Decocto Prunorum dissolu-
tarum, ana Vncias duas.

Sacchari clarificati Libras duas.

*Agitata simul coquantur ad spissitudinem : deinde insperge
pulveres sequentes :*

Scammonii præparati Vncias duas.

Rhabarbari Vnciam unam.

Cinamomi Vnciam semis.

Florum

Florum Violarum ,
 Rosarum rubrarum ,
 Seminis Cucumeris ,
 Portulacæ ,
 Succis Glycyrrhizæ, ana Drachmas duas.
 Santali citrini ,
 Tragacanthi, ana Drachmam unam.

F. s. a. Electuarium.

HIERA DIACOLOCYNTHIDOS.

R̄. Pulpæ Colocynthidis ,
 Agarici ,
 Chamædryos ,
 Marrubii ,
 Stœchadis Arabicæ, ana Drachmas decem.
 Opopanacis ,
 Sagapeni ,
 Aristolochiæ rotundæ ,
 Seminis Petroselini ,
 Piperis albi, ana Drachmas quinque.
 Cinamomi ,
 Spicæ Nardi Indicæ ,
 Polii ,
 Croci ,
 Myrrhæ, ana Drachmas quatuor.
 Mellis despumati Libras tres.

F. s. a. Electuarium.

HIERA PICRA GALENI.

℞. Aloes Socotorinæ lucidæ Libram unam &
Vnciam semis, seu Drachmas centum.

Cinamomi,

Ligni Aloes,

Radicum Afari,

Spicæ Nardi Indicæ,

Croci,

Mastiches, ana Drachmas sex.

Mellis despumati triplum.

F. s. a. Electuarium.

LENITIVVM.

℞. Vvarum passarum ab arillis mundatarum Vn-
cias duas.

Herbæ Mercurialis Manipulos tres.

Capilli Veneris recentis,

Florum Violarum,

Hordei mundati, ana Manipulum unum.

Radicum Glycyrrhizæ rasæ,

Seminis Fœniculi, ana Vnciam semis.

Iujubas,

Sebesten, ana Viginti.

Prunorum,

Tamarindorum, ana Vnciam unam.

Radicum Polypodii quercini recentium,

Foliorum Senæ mundatorum, ana Vnc. duas.

Coquan-

Coquantur s. a. ex aquæ s. q. Colaturæ adde

Pulpæ Casiæ ,

Tamarindorum ,

Prunorum, ana Vncias quatuor.

Sacchari albi Libram unam.

Mellis optimi Libram semis.

Foliorum Senæ mundatorum Vncias tres &
semis.

Seminis Anisi Drachmas tres.

F. s. a. Electuarium.

S V C C I R O S A R V M.

R̄. Succi Rosarum pallidarum recentium depu-
rati ,

Sacchari albi , ana Libram unam & semis.

Coquantur s. a. sub finem inspergendo

Scammonii præparati Vnciam unam & semis.

Santalorum omnium ,

Cinamomi, exactè tritorum, ana Drach. duas.

Caphuræ Scrupulum unum.

F. s. a. Electuarium.

S E C T I O

S E C T I O S E X T A,

De Antidotis, & Opiatis.

T H E R I A C A A N D R O M A C H I
S E N I O R I S.

℞. Trochiscorum Scilliticorum Vncias sex.
 Viperinorum,
 Magmatis Hedychroi,
 Opii præparati,
 Piperis longi, ana Vncias tres.
 Radicum Iridis Florentinæ,
 Agarici albi, & levis,
 Cinamomi,
 Scordii Cretici, *aut* nostratis,
 Rosarum rubrarum,
 Seminis Buniadis, *seu* Napi,
 Olei Nucis moschatæ per expressionem, *pro*
 Opobalfamo,
 Succi Glycyrrhizæ, ana Vnciam unam &
 femis.
 Radicum Costi odorati,
 Pentaphylli,
 Rhabarbari, *pro* Rhapontico,
 Spicæ Nardi Indicæ,
 Zingiberis,
 Casiæ lignæ,

Folio-

Foliorum Dictamni Creticæ,
 Calaminthæ montanæ,
 Marrubii,
 Sœœnanthi,
 Stœchadis Arabicæ,
 Croci Britannici,
 Piperis albi,
 nigri,
 Seminis Petroselinæ Macedonici veri,
 Myrrhæ,
 Thuris masculi,
 Terebinthinæ Cypriæ, ana Drachmas sex.
 Radicū Acori, *seu* Calami aromatici nostratis,
 Gentianæ,
 Meū Althamantici,
 Phu, *seu* Valerianæ,
 Spicæ Celticæ,
 Foliorum Chamædryos,
 Chamæpityos,
 Lauri, *pro* Malabathro,
 Polii montani albi,
 Baccarum Iuniperi recentiorum, *pro* Carpo-
 balsamo,
 Seminum Ammios,
 Anisi,
 Cardamomi minoris,
 Fœniculi,
 Hyperici,
 Seseleos Massiliensis,
 Thlaspios,

G

Garyo-

Garyophylli Plinii, *pro Amomo*,
 Boli Armeniæ veræ, *pro Terra Lemnia*,
 Chalcitidis tostæ donec cineritia fiat,
 Gummi Arabici vermiculati,
 Sagapeni,
 Styracis Calamitæ sinceræ,
 Succu Hypocistidis,
 Acaciæ veræ, ana Vnciam semis.
 Radicis Aristolochiæ tenuis,
 Florum Centaurii minoris,
 Seminis Dauci Cretici,
 Opopanacis,
 Galbani,
 Bituminis Iudaici, ana Drachmas duas.
 Vini generosi Canarini q.f. liquandis gummi,
 & succis.
 Mellis Narbonensis triplum.

F. s. a. Opiatum.

M I T H R I D A T I V M

D A M O C R A T I S,

R̄. Croci Britannici,
 Myrrhæ,
 Thuris masculi,
 Zingiberis,
 Agarici albi, & levis,
 Spicæ Nardi Indicæ,
 Cinamomi,

Seminis

Seminis Thlaspios, ana Drachmas decem.

Seseleos Massiliensis,

Costi odorati,

Foliorum Lauri, *pro* Malabathro,

Schoenanthi,

Stœchadis Arabicæ,

Piperis longi,

Castorei,

Styracis Calamitæ sinceræ,

Galbani,

Opopanacis,

Succi Hypocistidis,

Terebinthinæ Cypriæ,

Olei è Nuce moschatâ expressi, *pro* Opobal-
famo, ana Drachmas octo.

Casîæ lignæ,

Polii montani albi,

Scordiî Cretici, *aut* nostratis,

Piperis albi,

Baccarum Iuniperi, *pro* Carpobalsamo,

Seminis Dauci Cretici,

Bdellii.

Trochiscorum Cypheos, ana Drach. septem.

Radicis Gentianæ,

Spicæ Celticæ,

Dictamni Creticæ,

Seminis Petroselini Macedonici veri,

Cardamomi minoris,

Fœniculi,

Rosarum rubrarum,

Gummi Arabici vermiculati,
 Opii præparati, ana Drachmas quinque.
 Radicum Acori veri,
 Afari,
 Phu, seu Valerianæ,
 Seminis Anifi,
 Sagapeni, ana Drachmas tres.
 Meū Athamantici,
 Seminis Hyperici,
 Acaciæ veræ,
 Ventris Scinci, ana Drachmas duas & semis.
 Vini generosi Canarini q. f. liquandis gummi,
 & succis.
 Mellis Narbonensis triplum.

F. s. a. Opiatum.

DIASCORDIV FRACASTORII.

R̄. Foliorum Scordii ficcatorum,
 Boli Armeniæ veræ, ana Vncias duas.
 Rosarum rubrarum Vnciam unam.
 Opii præparati Drachmas sex.
 Radicum Bistortæ,
 Gentianæ,
 Tormentillæ,
 Casiæ lignæ,
 Cinamomi,
 Dictamni Creticæ,
 Seminum Acetosæ,
 Styracis Calamitæ,

Gal-

Galbani,

Gummi Arabici vermiculati, ana Vnc. semis.

Zingiberis,

Piperis longi, ana Drachmas duas.

Mellis despumati Libras tres.

Vini generosi Canarini q. f.

F. s. a. Opiatum.

THERIACA DIATESSARON

MESVEI.

℞. Radicum Aristolochiæ rotundæ,

Gentianæ,

Baccarum Lauri,

Myrrhæ, ana Vncias duas.

Mellis despumati Libras duas.

F. s. a. Electuarium.

CONFECTIO ALKERMES.

℞. Syrupi granorum Kermes Montepessulo, aut

Lugduno delati, Libras duas & semis.

Calefacto adde

Ambrae griseæ minutim incisæ Drach. duas.

Liquefactâ Ambra, insperge sequentia pulverata:

Ligni Aloes,

Cinamomi, ana Drachmas sex.

Lapidis Lazuli præparati,

Margaritarum præparatarum, ana Drachmas
duas.

Foliorum Auri,

Mofchi, ana Drachmam unam.

F. s. a. Electuarium.

PHILONIVM MESVÆ.

R̄. Seminis Hyoscyami albi,
Piperis albi, ana Drachmas viginti.
Opii præparati Drachmas decem.
Crocī Drachmas quinque.
Radicum Pyrethri,
Spicæ Nardi Indicæ,
Castorei, ana Drachmam unam.
Mellis despumati triplum.

F. s. a. Opiatum.

REQVIES NICOLAI.

R̄. Florum Rosarum rubrarum,
Violarum, ana Drachmas tres.
Seminum Hyoscyami albi,
Lactucæ,
Papaveris albi,
Portulacæ,
Psyllii,
Scariolæ,
Corticum Radicum Mandragoræ,
Opii præparati,

Zingi-

Zingiberis,
 Nucis moschatae,
 Cinamomi, ana Drachmam unam & semis.
 Santalorum omnium,
 Spodii ex ebore usto,
 Tragacanthi, ana Scrupulos duos.
 Mellis despumati triplum.

F. s. a. Opiatum.

REQUIES PVERORVM.

R. Diacodiôn Montani Vncias octo.
 Seminis Lactucæ,
 Papaveris albi, ana Vnciam unam.
 Florum Nymphææ,
 Rosarum rubrarum,
 Violarum, ana Drachmas tres.
 Olei è Nuce moschatâ expressi Scrupul. duos.

F. s. a. Electuarium.

SECTIO

S E C T I O S E P T I M A ,

De Pulveribus.

P U L V E R E S P U R G A N T E S .

D I A S E N Æ M O N T A G N A N Æ .

R̄. Foliorum Senæ mundatorum Vncias duas.
 Cremoris Tartari Vnciam semis.
 Seminis Fœniculi dulcis Drachmas duas.
 Macis ,
 Cinamomi ,
 Salis gemmæ, ana Drachmam unam.

F. Pulvis.

D I A T U R B I T H C V M

R H A B A R B A R O .

R̄. Turbith gummosi ,
 Hermodactylorum non exesorum ,
 Rhabarbari electi, ana Vnciam unam.
 Scammonii præparati Vnciam semis.
 Santali albi ,
 rubri ,
 Zingiberis ,
 Florum Violarum , ana Drachmam unam &
 semis.
 Mastiches ,

Semi-

Seminis Anisi,
 Cinamomi,
 Croci Britannici, ana Drachmam semis.

F. Pulvis.

HIERÆ SIMPLICIS GALENI.

R̄. Aloes Socotorinæ lucidæ Drachmas centum.
 Cinamomi,
 Ligni Aloes,
 Radicum Afari,
 Spicæ Nardi Indicæ,
 Croci,
 Mastiches, ana Drachmas sex.

F. Pulvis.

PVLVERES AROMATICI.

AROMATICVS ROSACEVS
 GABRIELIS.

R̄. Rosarum rubrarum Drachmas quindecim.
 Glycyrrhizæ rasæ Drachmas septem.
 Cinamomi electi Drachmas quinque.
 Ligni Aloes,
 Santali citrini, ana Drachmas tres.
 Gummi Arabici,
 Tragacanthi,
 Macis,
 Caryophyllorum, ana Drachm. duas & semis.

H

Spicæ

Spicæ Nardi Indicæ ,
 Nucis Moschatae ,
 Cardamomi minoris ,
 Galangæ, ana Drachmam unam.

F. Pulvis.

DIAGALANGÆ MESVÆ.

R. Radicum Galangæ ,
 Ligni Aloes, ana Drachmas sex.
 Radicum Calami aromatici,
 Zingiberis ,
 Cinamomi ,
 Macis ,
 Caryophyllorum ,
 Piperis albi ,
 longi ,
 Seminum Cumini ,
 Levistici ,
 Corticum Arantiorum exteriorum ,
 Citriorum exteriorum, ficcatorum,
 ana Drachmam unam & semis.
 Herbarum Calaminthæ ficcatae ,
 Menthæ ficcatae ,
 Spicæ Indicæ ,
 Seminum Anisi,
 Apii ,
 Cardamomi minoris ,
 Carei ,
 Fœniculi, ana Drachmam unam.

F. Pulvis.

DIAIREOS SIMPLEX.

℞. Radicum Iridis Florentinæ Vnciam semis.
 Sacchari canti albi,
 Pulveris Diatragacanthi frigidi, ana Drach-
 mas duas.

F. Pulvis.

DIALACCÆ MAIOR.

℞. Laccæ præparatæ,
 Rhabarbari,
 Schœnanthi, ana Drachmas tres.
 Radicum Aristolochiæ rotundæ,
 Afari,
 Costi,
 Gentianæ,
 Rubiæ Tinctorum,
 Spicæ Nardi Indicæ,
 Casiæ lignæ,
 Cinamomi,
 Croci,
 Herbarum Sabinæ,
 Hyssopi,
 Succi Absinthii condensati,
 Eupatorii aquatici condensati,

H 2

Amygda-

Amygdalarum amararum,

Seminum Ammios,

Anisi,

Apii,

Fœniculi,

Bdellii,

Mastiches,

Myrrhæ, ana Drachmam unam & semis.

Piperis,

Zingiberis, ana Drachmam unam.

F. Pulvis.

DIAMARGARITON FRIGIDVS.

R. Margaritarum splendidarum Drachmas tres.

Ligni Aloes,

Santalorum omnium,

Cinamomi,

Seminum quatuor frigidorum minorum,

Baccarum Myrti,

Florum Buglossæ,

Nymphææ,

Rosarum rubrarum,

Violarum,

Cornu Cervi crudi, *pro* Offe cordis Cervi,

Rasuræ Eboris, ana Drachmam unam.

Coralli albi,

rubri, ana Drachmam semis.

Caphuræ Grana octo.

F. Pulvis.

DIAMBRE MESVEL.

℞. Radicum Doronici Romani,
Galangæ,
Cinamomi,
Caryophyllorum,
Nucis moschatæ,
Macis,
Foliorum Lauri, *pro* Malabathro, ana Drach-
mas tres.
Zingiberis Drachmam unam & semis.
Ligni Aloes,
Santali citrini,
Cardamomi minoris,
Piperis longi, ana Drachmas duas.
Spicæ Nardi Indicæ,
Ambre griseæ, ana Drachmam unam.

F. Pulvis.

DIANTHOS NICOLAI.

℞. Florum Rorismarini Vnciam unam.
Rosarum rubrarum,
Violarum,
Radicum Glycyrrhizæ rasæ, ana Drach. sex.
Galangæ,
Zedoariæ,
Zingiberis,
Ligni Aloes,

Cinamomi,
 Caryophyllorum,
 Nucis moschatae,
 Macis,
 Spicae Indicae,
 Seminum Anethi,
 Anisi,
 Cardamomi minoris, ana Scrupulos quatuor.

F. Pulvis.

DIARRHODON ABBATIS.

R̄. Rosarum rubrarum Vnciam unam & semis.
 Ligni Santali albi,
 rubri, ana Drach. duas & semis.
 Aloes,
 Gummi Arabici,
 Tragacanthi,
 Spodii ex Ebore, ana Scrupulos duos.
 Radicum Afari,
 Rhabarbari,
 Spicae Indicae,
 Cinamomi,
 Croci,
 Caryophyllorum,
 Fructuum Berberorum,
 Seminum Acetosae,
 Anisi,
 Cardamomi minoris,

Endi-

Endiviæ ,
 Fœniculi ,
 Lactuæ ,
 Ocymi ,
 Portulacæ ,
 Scariolæ ,
 Succu Glycyrrhizæ ,
 Mastiches, ana Scrupulum unum.
 Cornu Cervi crudi,
 Margaritarum albarum , ana Scrupulū semis.
 Caphuræ Grana septem.

F. Pulvis.

DIATRAGACANTHI FRIGIDVS.

℞. Gummi Tragacanthi albi Vnciam semis.
 Arabici vermiculati Drachmas duas
 & semis.

Amyli Drachmam unam.
 Radicum Glycyrrhizæ rasæ ,
 Seminum Citrulli ,
 Cucumeris ,
 Cucurbitæ ,
 Melonum , mundatorum , ana
 Drachmam semis.

Sacchari canti albi Drachmas sex.

F. Pulvis.

Exiguam quantitatem præscripsimus , quia compositio
 ob semina frigida majora intrà tertium. mensem
 rancida fit, & ingrata.

D I A-

DIATRIONSANTALON
NICOLAI.

℞. Trium Santalorum ,
 Rosarum rubrarum ,
 Sacchari canti albi ,
 Seminum Lactucæ ,
 Portulacæ ,
 Scariolæ, ana Drachmas tres.

Rhabarbari ,
 Spodii ex ebore ,
 Succi Glycyrrhizæ , ana Drach. duas & semis.
 Amyli ,
 Gummi Arabici ,
 Tragacanthi, ana Drachmam unam
 & semis,
 Caphuræ Scrupulum semis.

F. Pulvis.

PVLVIS LIBERANS.

℞. Boli Armeniæ veræ Drachmas sex.
 Radicum Tormentillæ Drachmas duas.
 Seminum Acetofæ ,
 Cardui benedicti ,
 Citri ,
 Coriandri præparati ,
 Endiviæ ,
 Rutæ, ana Drachm. unam & semis.

Santa-

Santalorum omnium,
 Radicum Dictami albi, ana Drach. unam.
 Caryophyllatæ, *pro* Behen,
 Doronici Romani,
 Zedoariæ,
 Ligni Aloes,
 Casiæ lignæ,
 Cinamomi,
 Cardamomi minoris,
 Florum Buglossæ,
 Crocī,
 Macis,
 Nymphææ,
 Rosarum,
 Margaritarum,
 Coralli albi,
 rubri,
 Succini,
 Hyacinthi,
 Granati,
 Rasuræ Eboris,
 Cornu Cervi,
 Spodii ex ebore usto,
 Folliculorum Serici crudi concisorum, ana
 Drachmam semis.
 Caphuræ Scrupulum unum.

F. Pulvis.

PVLVIS NEPHRITICVS.

℞. Ligni Nephritici veri,
 Radicum Glycyrrhizæ rasæ,
 Nucleorum Persicorum, ana Vnciam unam.
 Seminum Milii Solis,
 Saxifragiæ, ana Vnciam semis.
 Apii,
 Carei,
 Dauci,
 Fœniculi,
 Genistæ,
 Lappæ majoris,
 Levistici,
 Petrofelini Macedonici,
 Sileris montani,
 Vrticæ Romanæ,
 Radicum Afari,
 Zingiberis, ana Drachmas duas.
 Spicæ Indicæ,
 Ligni Sassafras,
 Schœnanthi,
 Succini,
 Oculorum Cancris, ana Drachmam unam &
 semis.
 Lapidis Prunellæ,
 Tartari vitriolati, ana Drachm. duas & semis.

F. Pulvis.

PULVERES CHYMICI.

CREMOR TARTARI.

℞. Tartari Rhenani albi pulverati, & aliquoties
abluti q. v.

Coquatur lento igne cum s. q. aquæ in vase fictili vitreato, usquedum cuticula in superficiè appareat: quæ rudiculâ ligneam colligenda, exsiccanda super chartam bibulam, leviganda, & in nimbo vitreo asservanda.

CRYSTALLI TARTARI.

℞. Tartari Rhenani albi pulverati, & aliquoties
abluti q. v.

Bulliat cum multa aqua, coletur per chartam bibulam, exponatur frigori per noctem, aut diutius, & crystalli lateribus vasorum accrescent, quos effusâ aquâ collige, exsicca, & in nimbo vitreo asserva.

TARTARVM VITRIOLATVM.

℞. Olei Tartari per deliquium facti, & purifi-
cati q. v.

Instilletur illi paulatim in vitreo nimbo amplo

Olei Vitrioli pars dimidia:

Precipitabitur statim in coagulum albissimum, quod, supernatante liquore à lento igne in vapores resolutum, ad siccitatem salis reducatur.

FLORES SVLPVVRIS.

R̄. Sulphuris flavi à sordibus purgati q. v.

Indatur vasi terreo, & in arena sublimetur in aliud vas superpositum, & allutatum.

LAPIS PRVNELLÆ.

R̄. Salis Nitri puri q. v.

Incandescat, & liquefiat in crucibulo; liquefacto injice per intervalla portiunculam Florum Sulphuris, quoad Nitrum à sordibus repurgatum, & limpidum appareat. Tum effundatur in lebetem circumquaque commovendum, ut ad latera congeletur in lapidem crystallinum: quem in aqua bulliente solves; dissolutum per manicam, aut chartam bibulam linteo suffultam filtrabis, & in loco frigido congelabis: congelatam in crucibulo liquefacies, & cum Floribus Sulphuris depurabis ut ante: hasque operationes ter ad minimum repetes.

MAGISTERIVM CORALLORVM.

MARGARITARVM.

OCVLORVM CANCRI.

R̄. Corallorum, aut
Margaritarum, aut
Oculorum Cancrorum fluviatilium, subtilissimè tritorum, Vnciam unam.

*Affunde in phiala ampla,
Aceti destillati Vncias tres.*

Mox

Mox effervescent: ubi efferbuerint, liquor limpidus supernatans per chartam bibulam coletur, & in patella porcellana dicta, evaporet, bacillo ligneo subinde movendo, donec pulvis albus & solubilis fiat.

MERCVRIVS PRÆCIPITATIVS.

R̄. Argenti vivi partem unam.
Aquæ Fortis partes duas.

Solvantur super cineres tepentes in phiala vitrea donec mortificentur; deinde evaporent valido igne ad siccitatem usque.

MERCVRIVS, seu SVBLIMATVM DVLCI.

R̄. Sublimati corrosivi Vncias quatuor.
Mercurii crudi purgati cum sale & aceto, & per corium trajecti, Vncias tres.

Trita simul, & matraccio indita in arena per gradus ignis sublimentur spatio quinque vel sex horarum. Peracta sublimatione eximatur pars crystallina mediæ matraccii regioni adherens, rejectis fecibus in fundo relictis, & fuligine supremæ regionis. Pars crystallina si dulcis sit sine acrimonia, benè habet; si minus, denuò sublimanda, donec acrimoniam omnem deponat.

SAL ABSINTHII.

CARDVI BENEDICTI.

FABARVM.

Herbæ siccatæ exuruntur in cineres albos, ex quibus per aquam calentem salsedo extrahitur, & fit lixivium, quod filtrandum, & lento carbonum igne exiccandum in salem: qui, ut purior reddatur, iterum solvendus, filtrandus, & coagulandus.

S E C T I O O C T A V A,

De Trochiscis.

A G A R I C V S T R O C H I S C A T V S.

R̄. Agarici albi, & levis Vncias tres.

Cum s. q. Vini Canarini, cui Zingiberis Drachmæ duæ sint infusæ, cogantur in Trochiscos.

T R O C H I S C I A L B I R H A Z I S,

seu

S I E F A L B V M.

R̄. Cerussæ lotæ Drachmas decem.
Amyli Drachmas quatuor.

Gummi Arabici,

Tragacanthi, ana Drachmas duas.

Caphuræ Drachmam semis,

Cum Albumine ovi F. Trochisci.

T R O C H I S C I A L H A N D A L.

R̄. Pulpæ Colocynthidis albæ & levis, à feminibus purgata, minutim concisæ, & cum s. q. Olei Rosacei pulveratæ, Vnc. decem.

Gummi Arabici,

Tragacanthi,

Bdellii, ana Drachmas sex.

Pulve-

Pulveratis omnibus extrahatur ex Gummi Tragacanthi portione per s. q. Aqua Rosaceæ ea mucilaginis quantitas, quâ reliqui pulveres commodè in pastam redigi possint, ex qua deinde formentur Trochisci in umbrâ siccandi.

T R O C H I S C I A L K E K E N G I.

R̄. Fructuum Alkekengi Drachmas tres,
 Boli Armeniæ veræ Vnciam unam.
 Gummi Arabici,
 Tragacanthi,
 Sanguinis Draconis in lacrymis,
 Thuris,
 Amyli,
 Succi Glycyrrhizæ,
 Amygdalarum amararum,
 Nucleorum Pini,
 Seminum Papaveris albi, ana Drachmas sex.
 Citrulli,
 Cucurbitæ,
 Melonum, ana Drach. tres & semis.
 Apii,
 Hyoscyami,
 Succini,
 Opii præparati, ana Drachmas tres.
Cum Succo Alkekengi F. Trochisci.

T R O C H I S C I B E C H I C I A L B I.

Rj. Sacchari albissimi Libram unam.

Canti albi,

Penidiati, ana Vncias quatuor.

Radicum Iridis Vncias duas.

Amyli Vnciam unam & semis.

*Cum Mucilaginis Tragacanthi albi Aqua Rosacea extracta
s. q. F. Trochisci parvi.*

T R O C H I S C I C A P P A R V M.

Rj. Corticum Radicum Capparum,

Gummi Ammoniacy,

Seminis Agni casti, ana Drachmas sex.

Nasturtii,

Nigellæ,

Foliorum Calaminthæ,

Rutæ,

Radicum Acori,

Aristolochiæ rotundæ,

Amygdalarum amararum,

Succi Eupatorii aquatici condensati, ana

Drachmas duas.

Radicum Cyperi rotundi,

Foliorum Scolopendrii, ana Drach. unam.

F. Trochisci cum Ammoniaco predicto in Aceto dissoluto.

T R O C H I S C I C Y P H E O S
P R O M I T H R I D A T I O .

℞. Pulpæ Vvarum passarum albarum, & pinguiū,
Terebinthinæ Cypriæ, ana Vncias tres.

Myrrhæ ,

Schoenanthi, ana Vnciam unam & semis.

Cinamomi Vnciam semis.

Radicum Acori veri Drachmas novem.

Cyperi rotundi,

Spicæ Nardi Indicæ ,

Cassia lignæ,

Baccarum Iuniperi,

Bdellii , ana Drachmas tres.

Ligni Aloes, *aut* Aspalathi, Drachmas duas
& semis.

Croci Drachmam unam.

Mellis optimi despumati,

Vini Canarini , ana q. s.

Ad formandos Trochiscos.

T R O C H I S C I H E D Y C H R O I

G A L E N I A D

T H E R I A C A M .

℞. Ligni Aspalathi, *aut* Rhodii,
Herbarum Majoranæ ,

Mari Syriaci,

K

Radi-

Radicum Afari, ana Drachmas duas.

Acori,

Costi odorati,

Phu Pontici,

Ligni Aloes,

Cinamomi,

Schoenanthi,

Olei Nucis moschatae, ana Drachmas tres.

Cassiae lignae,

Spicae Nardi Indicae,

Foliorum Lauri,

Croci,

Myrrhae, ana Drachmas sex.

Garyophyllorum Plinii Vnc. unam & semis.

Mastiches Drachmam unam.

Vini Canarini q. s.

F. Trochisci in umbrâ siccandi, & Oleo dicto inungendi.

T R O C H I S C I M Y R R H Æ.

Rx. Myrrhae electae Drachmas tres.
 Lupinorum mundatorum Drachm. quinque.
 Radicis Rubiae tinctorum,
 Foliorum Menthastris,
 Pulegii cervini,
 Rutae,
 Seminis Cumini,
 Asae foetidae,
 Sagapeni,
 Opopanacis, ana Drachmas duas.

Cum Succo Artemisiae F. Trochisci.

T R O C H I S C I R H A B A R B A R I.

R̄. Rhabarbari electi Drachmas decem.
 Succu Eupatorii aquat. condensati Vnc. semis.
 Florum Rosarum rubrarum Drachmas tres.
 Radicum Afari,
 Rubiæ tinctorum,
 Spicæ Nardi Indicæ,
 Foliorum Absinthii,
 Seminis Anisi,
 Apii, ana Drachmam unam.
 Amygdalarum amararum Vnciam semis.
Cum Succo Absinthii Romani F. Trochisci.

T R O C H I S C I S C I L L I T I C I
A D T H E R I A C A M.

R̄. Scillam recentem candidissimam, corticosa parte, & radice lignosa privatam.

Involve Farinâ tritici subactâ, & fermentatâ; deinde sub cineribus, aut in clibano assentur, donec massa crustam duriusculam undique contraxerit, ac festuca lignea Scillæ corpus per rimas crustæ promptè penetret. Tum crusta triticea separata

R̄. Medullæ Scillæ diligenter lævigatæ Libram unam.

Farinæ Orobi, vel Lupinorum Vncias octo.

Mixta, simulque trita redige in pastillos in umbrâ siccandos.

T R O C H I S C I T E R R Æ S I G I L L A T Æ .

℞. Terræ sigillatæ, *ejus loco* Boli Armeniæ veræ,
Vnciam semis.

Acaciæ veræ,

Hypocistidis,

Sanguinis Draconis in lacrymis,

Gummi Arabici affati,

Amyli affati,

Lapidis Hæmatitidis,

Coralli rubri,

Succini,

Spodii ex ebore,

Balauftiorum,

Rosarum rubrarum,

Antheræ, *seu* Seminis Rosarum,

Seminum Portulacæ affatorum,

Nucum Cupressi,

Cornu Cervi usti,

Thuris masculi,

Croci,

Opii præparati, ana Drachmas duas.

Seminum Papaveris nigri,

Margaritarum, ana Drachmam unam & semis.

Cum Succo Plantaginis F. Trochisci.

T R O C H I S C I V I P E R I N I A D T H E R I A C A M .

℞. Ex Italia Venetiis, aut Patavio: ex Gallia Pi-
ctavio peti debent.

S E C T I O

S E C T I O N O N A,

De Pilulis.

PILVLÆ ALOËPHANGINÆ.

℞. Radicum Acori,
 Afari,
 Spicæ Nardi Indicæ,
 Ligni Aloes,
 Santali citrini,
 Cinamomi,
 Macis,
 Nucis moschatae,
 Caryophyllorum,
 Carpobalsami, *aut* Baccarum Iuniperi,
 Cubeborum,
 Cardamomi minoris,
 Schoenanthi, ana Vnciam semis.

*Ex hisce extrahatur per Spiritum Vini Tinctura in vase
 benè clauso: in cuius q. s. dissolve.*

Aloes lucidæ purissimæ Libram unam.

Cui dissolutæ adde.

Mastiches,
 Myrrhæ, pulveratarum, ana Vnciam semis.
 Croci Drachmas duas.

*Tandem omnia super cineres calidos leniter siccentur in con-
 sistentiam Pilularum.*

P I L V L Æ A G A R I C I.

℞. Agarici Trochiscati Drachmas tres.
 Turbith gummosi Drachmas quinque.
 Pulveris Hieræ simplicis Galeni Vnc. semis.
 Trochiscorum Alhandal,
 Myrrhæ, ana Drachmas duas.
 Radicis Iridis Florentinæ,
 Mastiches,
 Foliorum Marrubii, ana Drachmam unam.
Cum Vino Canarino F. Massa.

P I L V L Æ A V R E Æ.

℞. Aloes lucidæ,
 Scammonii præparati, ana Drach. quinque.
 Rosarum rubrarum,
 Seminis Apii, ana Drachmas duas & semis.
 Anisi,
 Fœniculi, ana Drach. unam & semis.
 Croci,
 Mastiches,
 Trochiscorum Alhandal, ana Drach. unam.
Cum Melle Rosaceo F. Massa.

P I L V L Æ C O C H I Æ.

℞. Pulveris Hieræ simplicis Galeni Drach. decem.
 Trochiscorum Alhandal Drach. tres & semis.
 Scam-

Scammonii præparati Drach. duas & semis.
 Turbith gummofi,
 Florum Stœchadis, ana Drachmas quinque.

Cum Syrupo è Stœchade F. Massa.

P I L V L Æ C Y N O G L O S S I.

℞. Radicum Cynoglossi ficcatarum,
 Seminis Hyoscyami albi,
 Opii præparati, ana Vnciam semis.
 Myrrhæ Drachmas sex.
 Thuris masculi Drachmas quinque.
 Croci,
 Castorei,
 Styracis Calamitæ, ana Drachmas duas.

Cum Aqua Rosarum F. Massa.

P I L V L Æ E X T R A C T I

C A T H O L I C I.

℞. Pulpæ Colocynthidis Drachmas sex.
 Agarici albi,
 Hellebori nigri,
 Pulveris Diarrhodôn Abbatis, ana Vnc. semis.

Ex hisce extrahatur Tinctura per Spiritum Vini: cui percolatæ adde pulverum

Aloes lucidæ Vnciam unam.

Scammonii præparati Vnciam semis.

Evaporent in Extracti consistentiam.

P I L V L Æ F O E T I D Æ M A I O R E S
M E S V E L.

R̄. Trochiscorum Alhandal,
 Aloes lucidæ,
 Ammoniacy,
 Opopanacy,
 Sagapeny,
 Myrrhæ,
 Epithymi,
 Seminis Rutæ, ana Drachmas quinque.
 Scammonii præparati Drachmas tres.
 Radicum Turbith gummosarum Drachmas
 quatuor.
 Esulæ minoris,
 Hermodactylorum, ana Drachmas
 duas.
 Zingiberis Drach. unam & semis.
 Spicæ Nardi Indicæ,
 Cinamomi,
 Croci,
 Castorei, ana Drachmam unam.
 Euphorbii triti Scrupulos duos.
Cum Succo Foliorum Porri F. Massa.
 Infervire etiam possunt pro Pilulis ex Hermodactylis.

P I L V L Æ H I E R Æ C V M

A G A R I C O.

℞. Pulveris Hieræ simplicis Galeni,
 Agarici Trochiscati, ana Vnciam semis.
 Aloes lucidæ Vnciam unam.

Cum Melle Rosaceo F. Massa.

P I L V L Æ L A P I D I S L A Z V L I

M E S V E I.

℞. Lapidis Lazuli pulverati, & sæpius abluti
 Drachmas sex.

Epithymi,

Radicum Hellebori nigri,

Agarici Trochiscati, ana Vnciam unam.

Scammonii præparati,

Salis gemmæ, ana Drachmas duas & semis.

Caryophyllorum,

Seminis Anifi, ana Vnciam semis.

Pulveris Hieræ simplicis Galeni Drachmas
 quindecim.

Cum Succo Eumarie F. Massa.

P I L V L Æ L A V D A N I O P I A T I.

℞. Opii Thebaici puri, Spiritu Vini dissoluti,
cocti parùm, & percolati Vnciam unam.

*Misceatur cum Tinctura per Spiritum Vini extracta ex
Pulveris Diambrae Vnciâ dimidiâ.*

*Evaporent in consistentiam pilularum, sub finem addendo
Croci Britannici Drachmam unam.*

Servetur Massa usui.

P I L V L Æ M A S T I C H I N Æ.

℞. Mastiches Vnciam semis.
Agarici Trochiscati Drachmas tres.
Aloes lucidæ Drachmas decem.

Cum Succo Absinthii F. Massa.

P I L V L Æ N I T R I A L E X. T R A L L I A N I.

℞. Salis Nitri purificati,
Euphorbii triti, ana Drachmam unam.
Scammonii præparati,
Trochiscorum Alhandal,
Radicum Hellebori Nigri,
Aloes lucidæ,
Myrrhæ,
Gummi Arabici, ana Drachmas duas.

Cum Succo Brassicæ, & Melle cocto F. Massa.

P I L V L Æ P E S T I L E N T I A L E S

C O M M V N E S.

R̄. Aloes lucidæ Vncias duas.
 Myrrhæ Vnciam unam.
 Croci Vnciam semis.
Cum Vino Canarino F. Massa.

P I L V L Æ S I N E Q V I B V S.

R̄. Aloes lucidæ Drachmas quatuordecim.
 Scammonii præparati Drachmas sex.
 Agarici Trochiscati,
 Rhabarbari,
 Foliorum Senæ mundatorum, ana Vnc. semis.
 Absinthii,
 Florum Violarum,
 Rosarum rubrarum,
 Cuscutæ,
 Mastiches,
 Salis gemmæ, ana Drachmam unam.
Cum Succo Fœniculi, & Euphragiæ F. Massa.

S E C T I O D E C I M A,

De Oleis.

O L E A P E R E X P R E S S I O N E M.

O L E V M A M Y G D A L A R V M

D V L C I V M.

R̄. Amygdalas dulces ficcatas, non rancidas, q. v.

Minutissimè contusas panno aspero cannabino inde, & sine igne prælo sensim Oleum exprime.

O L E V M Amygdalarum amararum.

Laurinum genuinum, quod ex Insulis Fortunatis.

Macis.

Nucis Juglandis.

Moschatae.

Ovorum.

Olivarum maturarum.

Olivarum immaturarum, seu Omphacinum.

Palmae, quod ex Indiis, & Guinea.

Seminum Erucæ,

Hyoscyami,

Lini,

Nigellæ.

Papaveris.

Quorum omnium preparatio ut nota omittitur.

O L E A

OLEA PER INFUSIONEM,

&

DECOCTIONEM.

OLEVM ABSINTHII.

R̄. Comarum Absinthii virentis incisarum , &
contusarum Vncias quatuor.

Olei Omphacini Libras tres.

*Macerentur per quindecim dies in nimbo vitreo ad Solem,
vel loco calido ; ter repetendo Comarum infusionem ; & ultima
infusioni addendo*

Succi Absinthii Vncias quatuor.

Coquantur leviter ad Succi consumptionem.

OLEVM Anethinum, ex foliis, & floribus.

Chamæmelinum, ex floribus.

Cydoneorum, ex Malis Cydoneis
non excorticatis, & Oleo Om-
phacino.

Hyperici, ex summitatibus, & flori-
bus.

Keyrinū, ex floribus Leucoji lutei.

Liliorum alborum, ex floribus.

Majoranæ nobilis.

Menthæ crispæ fativæ cum Om-
phacino.

Nepetæ.

Nymphææ, ex floribus albis, & Omphacino.

Rosaceum completum, ex Rosis apertis, & Oleo maturo.

Rosaceum omphacinum, ex Rosis rubris nondùm penitùs apertis, & Oleo omphacino.

Rutaceum.

Scorpionum simplex, cum Oleo Amygdalarum amararum.

Solani, ex foliis, & baccis, cum Oleo Rosaceo omphacino.

Trifolii odorati, ex foliis, & floribus.

Violaceũ, ex floribus & Omphacino.

Verbasci, ex floribus, & Omphacino.

Quorum omnium compositio, ut notissima, præteritur.

O L E V M C A P P A R V M.

R. Corticum Radicum Capparum Vnc. unam.

Tamarisci,

Radicum Cyperi,

Seminis Agni casti,

Foliorum Scolopendrii, seu Ceterach,

Tamarisci, ana Drachmas duas.

Rutæ,

Aceti Vini,

Vini optimi, ana Vncias duas.

Olei maturi Libram unam.

Coquantur in duplici vase ad consumptionem Vini & Aceti, colentur, & exprimantur.

OLEVM CASTOREI.

℞. Castorei,
 Styracis Calamitæ,
 Galbani,
 Opopanacis,
 Euphorbii,
 Casiæ lignæ,
 Radicum Costi,
 Cyperii,
 Pyrethri,
 Foliorum Sabinæ,
 Spicæ Nardi Indicæ,
 Croci,
 Schœnanthi,
 Cubebæ,
 Piperis longi,
 nigri, ana Drachmas duas.
 Olei Libras tres.
 Vini odoriferi Libras duas.

Terendis tritis macerentur omnia simul in Vino per diem naturalem: coquantur cum Oleo in diplomate ad Vini consumptionem: colentur, & exprimantur.

OLEVM

O L E V M C R O C I N V M P R O E M -
P L A S T R O E R A N I S.

R̄. Croci Britannici,
Cardamomi,
Radicum Acori, ana Vnciam unam.
Myrrhæ Vnciam semis.

*Infundantur Aceto per sex dies: postridiè adde
Olei Olivarum Libram unam & semis.*

*Coquantur lento igne ad Aceti consumptionem, colentur, &
exprimantur.*

O L E V M E V P H O R B I I.

R̄. Euphorbii Vnciam semis.
Olei Keyrini,
Vini odori, ana Vncias quinque.

Coquantur ad consumptionem Vini.

O L E V M I R I N V M.

R̄. Radicum Iridis recentium contusarum Li-
bram semis.

Florum Iridis cærulei recentium Lib. unam.

Decocti, vel Succi aliarum Radicum Iridis Li-
bram unam.

Olei Olivarum Libras tres & semis.

*Coquantur in vase duplici ad liquoris consumptionem; colen-
tur, exprimantur.*

O L E V M

O L E V M L V M B R I C O R V M
T E R R E S T R I V M.

℞. Lumbricorum terrestrium Vino generoso
albo lotorum Libram semis.
Olei Olivarum Libras duas.
Vini albi Vncias quatuor.

Bulliant ad Vini consumptionem, colentur, exprimantur.

O L E V M M A S T I C H I N V M.

℞. Mastiches electæ Vncias tres.
Olei Rosacei Libram unam.
Vini odori Vncias duas.

*Coquantur in diplomate ad consumptionem Vini; colentur,
& exprimantur.*

O L E V M M V C A G I N V M.

℞. Radicum Althææ recentium contusarum
Vncias viginti.
Scillæ recentis contusæ Vncias
quatuor.
Seminum Fœnugræci,
Lini, integrorum, ana Libram
unam.

*Macerentur in s. q. aquæ; deinde leniter coquantur,
donec remittant crassam, & viscosam mucilaginem:*

M

Cujus

Cujus per setaceum trajectæ Libris duabus.

Adde

Olei Anethini,

Chamæmelini,

Liliorum alborum, ana Vnc. sexdecim.

Coquantur simul ad humiditatis aqueæ consumptionem, subinde agitando ne adurantur.

O L E V M M Y R T I L L O R V M.

R̄. Baccarum Myrti siccatarum confractarum
Libram semis.

Olei Omphacini Libram unam & semis.

Vini rubri austeri Vncias quatuor.

Macerata coquantur ad Vini consumptionem; colentur, exprimantur.

O L E V M V V L P I N V M.

R̄. Vulpem excoriatam, exenteratam, ossibus
confractis, & contusis, minutim concisam.

Coquatur in Aquæ marinæ, vel alterius salitæ q. s. Ex dimidio coctæ adde

Olei veteris Libras quatuor.

Herbarum Anethi,

Origani,

Thymi, ana Libram semis.

Coquantur denuò donec caro ab ossibus separetur, & aqua consumatur; colentur, exprimantur.

OLEA PER DESTILLATIONEM.

OLEVM Baccarum Juniperi.

Caryophyllorum.

Cinamomi.

Ligni Rhodii.

Macis.

Majoranae.

Nucis moschatae.

Origani Cretici.

Rorismarini.

Spicae.

Seminum Anethi.

Anisi.

Carei.

Foeniculi.

Omnia haec olea per Vesicam destillantur s. a. praemissa debita Simplicium cum s. q. aquae maceratione.

OLEVM CORTICVM ARANTIORVM.

CITRIORVM.

Rx. Corticum recentium q. v.

Macerentur donec putruerint; deinde cum s. q. aquae destillantur per Vesicam.

OLEVM CERÆ.

R̄. Ceræ partem unam.
Arenæ partes tres.

Liquefactâ Cerâ, & admixtâ arenâ destillentur ex Retorta per gradus ignis.

OLEVM LATERV M,

seu

PHILOSOPHORVM.

R̄. Lateres, aut tegulas rufas antiquas, q. v.

Contusas, & vehementer excandefactas restinguito in Oleo claro veteri.

Quo imbutos in tenuissimum pulverem conterito, Retortæ indito, & igne aperto destillato ex iis Oleum.

OLEVM SVCCINI.

R̄. Succini albi, vel flavi q. f.

Vt repleatur tertia pars Retortæ, & destilletur per se in cineribus igne gradatim admoto.

OLEVM, seu SPIRITVS SALIS.

R̄. Muria fortissimæ, ex vasis, quibus Sal asservatur, extillantibus, q. f.

In illam Lateres, vel tegula veteres intense cadentes pluries injiciantur, donec q. s. muria imbiberint, qui deinde contusi indantur Retortæ lutatæ cum amplo Recipiente, & destillentur per gradus ignis.

O L E V M, seu SPIRITVS SVLPHVRI.

℞. Sulphuris q. v.

Destilletur per campanam vitream loco humidiori, aëreque pluvioso.

O L E V M T E R E B I N T H I N Æ.

℞. Terebinthinae q. v.

Destilletur per Vesicam affusâ aquæ copiâ.

O L E V M V I T R I O L I.

℞. Vitrioli Romani ad rubedinem calcinati, & triti q. s.

Destilletur ex Retorta lutata, vel Cucurbita terrea, cum amplo Recipiente, servatis ignis gradibus.

O L E A P E R D E L I Q V I V M.

O L E V M, seu LIQVOR GVAIACI.

℞. Gummi Guajacini q. v.

Dissolvatur in s. q. Spiritus Vini fortioris, & colatura, abjectis facibus, reservetur.

OLEVM, seu LIQVOR
MYRRHÆ.

℞. Myrrhæ electæ pulveratæ q. s.

Indatur Albuminibus ovorum ad duritiem coctis, & in loco humido solvatur in liquorem oleaginosum. Recens semper præparandum.

OLEVM, seu LIQVOR
PLVMBI.

℞. Cerussæ q. v.

Affuso Aceto forti maceretur, & Tinctura filtretur per chartam bibulam, usuique servetur.

OLEVM, seu LIQVOR
TARTARI.

℞. Tartari calcinati donec albescere incipiat q. v.

Pulveratum imponatur Manicæ Hippocratis laneæ in loco frigido & humido suspensæ; ita solvetur in liquorem vase vitreo supposito excipiendum, semelque adhuc filtrandum.

Hisce annumeretur

OLEVM PETRÆ NATVRALÆ.

SECTIO

95

S E C T I O V N D E C I M A,

De Vnguentis.

V N G V E N T V M A D S T R I N G E N S
F E R N E L I I.

R̄. Olei Rosacei aquâ aluminosâ sæpiùs abluti
Libram unam & semis.

Ceræ albæ Vncias quatuor.

Acaciæ,

Baccarum Myrti,

Balauftiorum,

Corticum Glandium,

Granatorum,

Gallarum immaturarum,

Nucum Cupressi,

Rhois culinariæ,

Mastiches, ana Vnciam unam.

Omnia exactè trita macerentur in Succis Mespilorum, & Prunorum sylvestrium per dies quatuor, deinde siccentur igne lento, sicque cum Oleo & Cera F. s. a. Vnguentum.

V N G V E N T V M Æ G Y P T I A C V M.

R̄. Æruginis Vncias quinque.

Aluminis crudi Vnciam unam.

Mellis optimi Vncias quatuordecim.

Aceti fortis Vncias septem.

Coquantur s. a. in consistentiam Vnguenti.

V N G V E N-

V N G V E N T V M A G R I P P Æ.

- ℞. Radicum Bryoniæ Libras duas.
 Cucumeris asinini Libram unam.
 Scillæ Libram semis.
 Iridis Vncias tres.
 Ari,
 Ebuli,
 Filicis, ana Vncias duas.
 Ceræ citrinæ Vncias quindecim.
 Olei Libras quatuor.
 F. s. a. Vnguentum.

V N G V E N T V M A L B V M

C A P H V R A T V M.

- ℞. Olei Rosacei Libram unam.
 Ceræ albæ Vncias tres.
 Cerussæ Vncias sex.
 Caphuræ Aquâ Rosarum tritæ Drach. duas.
 F. s. a. Vnguentum.

V N G V E N T V M A L T H Æ Æ S I M P L E X.

- ℞. Olei Mucaginum Libras duas.
 Ceræ Citrinæ Libram semis.
 Resinæ Vncias tres.
 Terebinthinæ Vnciam unam & semis.

F. s. a. Vnguentum.

V N G V E N-

V N G V E N T V M A L T H Æ Æ

C O M P O S I T V M.

℞. Olei Mucaginum Libras duas.
 Ceræ citrinæ Libram semis.
 Resinæ ,
 Colophonix, ana Vncias tres.
 Gummi Galbani,
 Hederæ,
 Terebinthinæ, ana Vnciam unam.

F. s. a. *Vnguentum.*

V N G V E N T V M A P O S T O L O R V M.

℞. Ammoniacy,
 Resinæ ,
 Terebinthinæ ,
 Ceræ citrinæ , ana Drachmas quatuordecim.
 Lithargyri auri Drachmas novem.
 Aristolochiæ longæ ,
 Bdellii ,
 Thuris masculi, ana Drachmas sex.
 Æruginis,
 Galbani ,
 Opopanacis,
 Myrrhæ , ana Vnciam semis.
 Olei communis Libras duas.
 Aceti q. s.

F. s. a. *Vnguentum.*

N

V N G V E N-

V N G V E N T V M A R T H A N I T Æ.

℞. Succum Radicum Cyclamini Libram unam (*aut
ejus defectu* , Decocti unius Libræ Radicum
Cyclamini ficcatarum in taleolas
incisarum.)

Succi Cucumeris asinini ,
Butyri vaccini, ana Libram semis.

Olei Irini Libram unam.

Radicum Polypodii quercini Vncias tres.

Pulpæ Colocynthidis Vnciam unam & semis.

Euphorbii Drachmas duas.

*Contundendis contusis macerentur simul omnia per aliquot
dies ; postea leviter ebulliant ad succorum consumptionem ;
colentur, & exprimantur. In expresso liquefiant*

Ceræ flavæ Vnciæ duæ & semis.

Hiscæ adhuc tepidis immisceantur

Sagapeni aceto soluti, cocti, percolati, &
denuò ad consistentiam Vnguenti eva-
porati, Drachmas tres.

Fellis taurini evaporati ad mellis crassitiem
Vnciam semis.

Et postremò sequentia tenuissimè pulverata

Scammonii ,

Colocynthidis,

Turbith albi,

Aloes ,

Mezerei, ana Drachmas duas & semis.

Euphor-

Euphorbii,
 Myrrhæ,
 Florum Chamæmeli,
 Piperis longi,
 Zingiberis, ana Drachmam unam.
 Salis gemmæ Drachmas duas.

F. s. a. Vnguentum.

V N G V E N T V M A V R E V M.

R̄. Olei communis Libras duas.
 Ceræ citrinæ Vncias sex.
 Terebinthinæ Vncias duas.
 Resinæ Pini,
 Colophonix, ana Vnciam unam & semis.
 Mastiches,
 Thuris, ana Vnciam unam.
 Croci Drachmam unam.

F. s. a. Vnguentum.

V N G V E N T V M B A S I L I C O N ,

seu

T E T R A P H A R M A C O N .

R̄. Ceræ citrinæ,
 Picis nigræ,
 Resinæ, ana Libram semis.
 Olei communis q. s. ut

F. s. a. Vnguentum.

V N G V E N T V M C A L C I S.

R̄. Calcis vivæ præparatæ,
Ceræ albæ, ana Vncias tres.
Olei Rosacei Libram unam.

F. s. a. Vnguentum.

V N G V E N T V M D I A P O M P H O L Y G O S.

R̄. Olei Solani Vncias sexdecim.
Ceræ albæ Vncias quinque.
Ceruffæ lotæ Vncias duas.
Pompholygos præparatæ,
Plumbi usti & loti,
Thuris, ana Vnciam unam.

F. s. a. Vnguentum.

V N G V E N T V M E N V L A T V M
C V M M E R C V R I O.

R̄. Radicum Enulæ in Aceto coctarum, contusa-
rum, & cretarum, Libram unam.
Axungiaë porcinaë veteris salitæ Vncias octo.
Olei veteris Vncias quatuor.
Argenti vivi,
Ceræ novæ,
Terebinthinaë lotæ, ana Vncias duas.
Salis communis Vnciam unam.

F. s. a. Vnguentum.

V N G V E N-

V N G V E N T V M M A R T I A T V M.

℞. Herbarum Absinthii,
 Abrotani,
 Basilici,
 Calaminthæ,
 Centaurii minoris,
 Chamædryos,
 Costi hortensis,
 Illecebræ,
 Majoranæ,
 Menthæ aquaticæ,
 Paralyfis,
 Sabinæ,
 Salviæ,
 Sambuci, ana Vnc. unam & semis.
 Lauri foliorum,
 Rorismarini,
 Rutæ, ana Vncias tres.
 Seminum Cumini,
 Fœnugræci,
 Vrticæ majoris, ana Vnciam semis.
 Adipis Vrsini,
 Medullæ Cervinæ,
 Styracis liquidæ, ana Vncias tres.
 Butyri Libram unam.
 Olei è Nuce moschatâ expressi Vnc. unam.
 Olivarum Libras quatuor.
 Ceræ citrinæ Libram unam.
 Vini generosi q. s.

Herbis per octiduum in Vino maceratis F. s. a. Vnguentum.

V N G V E N T V M N E R V I N V M.

R̄. Vnguenti Althææ Vncias quatuor.

Pinguedinis Anatis,

Anferis,

Canis,

Felis, ana Vncias duas.

Olei Anethini,

Chamæmelini,

Laurini,

Lumbricorum,

Vulpini, ana Vnciam unam.

Euphorbii,

Petræ,

Spicæ,

Terebinthinæ, ana Vnciam semis.

Spiritus Vini Vnciam unam & semis.

Ceræ f. q.

F. s. a. Vnguentum molle.

V N G V E N T V M N V T R I T V M.

R̄. Lithargyri auri tenuissimè lævigati Lib. semis.

Olei Rosacei,

Aceti Vini, ana q. s. ut

Nutriendo in mortario F. s. a. Vnguentum.

V N G V E N

V N G V E N T V M O C V L A R E.

R̄. Lapidis Calaminaris præparati Vncias tres.
 Tutia præparata Vnciam unam.
 Vitrioli albi,
 Caphuræ, ana Scrupulos duos.
 Vnguenti Rosacei Libram unam.

F. s. a. Vnguentum.

V N G V E T V M P E C T O R A L E.

R̄. Butyri recentis Vncias sex.
 Olei Amygdalarum dulcium Vncias quatuor.
 Chamæmelini,
 Violacei, ana Vncias tres.
 Adipis Anatis,
 Gallinæ, ana Vncias duas.
 Radicis Iridis Vnciam unam.
 Ceræ albæ Vncias tres.

F. s. a. Vnguentum.

V N G V E N T V M P O M A T V M.

R̄. Axungia Porcinæ recentis à membranis pur-
 gata, & Vino albo lota, Libras duas.
 Poma Camusia (*nostratibus Emmier-appelen*)
 mundata, & Aqua Rosacea cocta, Sex-
 decim.

Ligni

Ligni Rhodii ,

Sassafras ,

Radici Iridis Florentinæ, ana Drachmas sex.

Benzoini ,

Styracis Calamitæ, ana Vnciam semis.

E. s. a. Vnguentum.

V N G V E N T V M P O P V L E V M .

R̄. Oculorum , seu Gemmarum Populi recentium
Libram unam & semis.

Axungia porcina recentis infulsæ Lib. tres.

*Gemmæ Populi contendantur, & macerentur in Axungia,
donec sequentes herbae collectæ fuerint.*

R̄. Herbarum Bardanæ ,
Hyoscyami ,
Lactucæ ,
Mandragoræ ,
Papaveris nigri ,
Sempervivi majoris ,
minoris ,

Solani ,

Violarum ,

Vmbilici Veneris, aut Portulacæ,

Cymarum Rubi tenerrimarum, ana Manipul.
duos.

*Ex virentibus contusis exprimatur Succus , qui cum Axun-
gia, & Oculis Populi coquatur ad consumptionem humiditatis;
fiatque s. a. Vnguentum.*

V N G V E N -

V N G V E N T V M R E F R I G E R A N S
G A L E N I.

R̄. Olei Rosacei Omphacini Vncias quatuor.
Cerae albæ Vnciam unam.

*Cera in Oleo liquetur, sæpius aqua frigida laventur, & per-
cutiantur exactè; postremò Aqua Rosacea abluantur, &
addito*

Aceti tantillo,
F. s. a. Vnguentum.

V N G V E N T V M R O S A C E V M.

R̄. Axungia porcinæ recentis à membranis pur-
gata, & aliquoties lotæ, Libras duas.
Rosarum pallidarum recentium q. f.

*Mixta insolentur per aliquot dies; deinde effervescent, &
colentur. Colaturæ immisce*

Rosarum quantitatem eandem.

*Denuò insolentur, ebulliant, & colentur ut ante; hæcque
toties repetantur donec Axungia gratissimum acquirat odo-
rem. Serventur pro Vnguento.*

S E C T I O D V O D E C I M A ,

De Emplastris.

E M P L A S T R V M B E T O N I C A E .

℞. Succī Betonice ,
 Apī ,
 Plantaginis, ana Libram unam.

Ceræ ,
 Gummi Elemni ,
 Resinæ Pini ,
 Terebinthinæ, ana Libram semis.

F. s. a. Emplastrum.

E M P L A S T R V M D I A C H A L C I T E O S ,

seu

D I A P A L M A E .

℞. Olei veteris ,
 Lithargyri auri, ana Libras tres.
 Axungia Porci veteris à membranīs purgata
 Libras duas.
 Chalcitidis ustæ , *aut* Vitrioli albi , Vncias
 quatuor.

*Agitentur inter coquendum cum Palmæ , ejus loco Quer-
 cus, Salicis, Mespilivæ, recentibus ramis, & F. s. a. Emplastrum.*

E M P L A-

E M P L A S T R V M D I A C H Y L O N S I M P L E X .

℞. Olei Mucaginum Libras tres.
Lithargyri auri Libram unam & semis.

F. s. a. *Emplastrum.*

E M P L A S T R V M D I A C H Y L O N
C V M G V M M I .

℞. Olei Mucaginum Libras octo.
Lithargyri auri Libras quatuor.
Cerae ,
Terebinthinæ, ana Libram semis.
Ammoniacy ,
Galbani ,
Opopanacis ,
Sagapeni, ana Vncias quatuor.

F. s. a. *Emplastrum.*

E M P L A S T R V M G R A T I A D E I .

℞. Cerae novæ ,
Resinæ ,
Sevi hircini, ana Vncias quatuor.
Terebinthinæ Vncias duas.
Æruginis ,
Mastiches ,
Olibani, ana Drachmas tres.

F. s. a. *Emplastrum.*

EMPLASTRUM GRISEVM,

seu

LAPIDIS CALAMINARIS.

℞. Lapidis Calaminaris præparati Vnc. unam.
 Lithargyri Vncias duas.
 Ceruffæ,
 Tutia, ana Vnciam semis.
 Terebinthinæ Drachmas sex.
 Thuris Drachmas quinque.
 Mastiches Drachmas tres.
 Myrrhæ Drachmas duas.
 Caphuræ Drachmam unam & semis.
 Cerae albæ Vnciam unam & semis.

F. s. a. Emplastrum.

EMPLASTRUM MELILOTI.

℞. Summitatum Meliloti Vncias sex.
 Foliorum Absinthii,
 Majoranæ,
 Florum Chamæmeli,
 Seminum Fœnugræci,
 Baccarum Lauri,
 Radicum Althææ, ana Drachmas tres.
 Cyperi,
 Iridis,
 Spicæ Nardi Indicæ,
 Casia lignæ,

Semi-

Seminum Ammios,

Apii,

Cardamomi minoris, ana Drach-
mas duas & semis.

Ammoniacy Drachmas decem.

Bdellii,

Styracis Calamitæ, ana Drachmas quinque.

Terebinthinæ Vnciam unam & semis.

Ficus ficcatus Duodecim.

Resinæ,

Sevi hircini, ana Vncias quatuor.

Ceræ citrinæ Vncias octo.

Olei Spicæ Vncias duas.

Majoranæ q. f.

E. s. a. Emplastrum.

E M P L A S T R V M M I N I I.

R̄. Minii Libram unam.

Olei communis Libras duas.

Coque s. a. addendo.

Ceræ Libram semis.

Terebinthinæ Vncias quatuor.

Plumbi usti præparati Vncias duas.

E. s. a. Emplastrum.

EMPLASTRUM MUCILAGINVM.

℞. Olei Mucaginum Vncias sex.
 Ammoniacy,
 Galbani,
 Opopanacy,
 Sagapeny, ana Vnciam semis.
 Croci Drachmas duas.
 Ceræ citrinæ Vncias viginti.
 Terebinthinæ Vncias duas.

F. s. a. Emplastrum.

EMPLASTRUM OXYCROCEVM.

℞. Ceræ citrinæ,
 Colophoninæ,
 Picis navalis, ana Vncias sex.
 Croci Britannici Vncias tres.
 Ammoniacy,
 Galbani,
 Mastiches,
 Myrrhæ,
 Terebinthinæ,
 Thuris, ana Vncias duas.
 Aceti q. s. dissolvendis gummi.

F. s. a. Emplastrum.

E M P L A S T R V M R A N A R V M

Cum, & Sine

M E R C V R I O.

℞. Olei Chamæmelini,
 Anethini,
 Liliorum,
 Spicæ, ana Vncias quatuor.
 Crocini, Vncias duas.
 Axungia porcinæ Libras duas.
 Pinguedinis vitulinæ Libram unam.
 Olei Laurini genuini Vncias octo.
 Thuris masculi Vncias duas & semis.
 Euphorbii Drachmas decem.
 Ranas viventes vino lotas Duodecim.
 Lumbricorum terrestrium vino ablutorum
 Vncias septem.
 Foliorum Matricariæ,
 Florum Schoenanthi,
 Stœchados, ana Manipulos duos.
 Succum Radicum Ebuli,
 Enulæ Campanæ,
 Terebinthinæ claræ, ana Vncias quatuor.
 Styracis liquidæ Vncias tres.
 Lithargyri auri Libras duas.
 Argenti vivi Terebinthinâ extincti Vnc. octo.
 Vini generosi Libras quatuor.
 Cerae albæ q. s.

F. s. a. Emplastrum.

E M P L A-

EMPLASTRUM AD RUPTURAS
FERNELII.

R̄. Acaciæ veræ,
Aristolochiæ longæ,
rotundæ,
Balauftiorum,
Cupularum Glandium,
Fabarum,
Gallarum immaturarum,
Malicorii,
Myrtillorum,
Nucum Cupressi,
Seminis Plantaginis, ana Vnciam semis.

Omnia pulverata madefiant Aceto Rosaceo, & stent per biduum, deinde exsiccentur. Tum

R̄. Radicum Consolidæ majoris,
Filicis,
Osmundæ regalis,
Herbæ Caudæ equinæ, ana Vnciam unam.
Aloes,
Mastiches,
Mumiæ,
Myrrhæ,
Thuris, ana Vncias duas.
Boli Armeniæ Aceto lotæ,
Lapidis Calaminaris præparati,
Lithargyri auri,
Sanguinis Draconis, ana Vncias tres.

Picis

Picis navalis Libras duas.

Terebinthinæ q. f.

Pulverata omnia cum predicto pulvere misceantur Pici liquefactæ, & incorporentur exactè cum Terebinthina, & F. s. a. Emplastrum.

E M P L A S T R U M S T I P T I C U M

P A R A C E L S I.

R. Ammoniacy,
Bdellii, ana Vncias duas.

Galbani,

Myrrhæ,

Olibani,

Opopanacis,

Radicum Aristolochiæ longæ,

rotundæ,

Dictamni albæ,

Magnetis præparati, ana Vnciam unam.

Olei Hyperici Libras duas.

Laurini genuini Vncias duas.

Lithargyri auri Libram unam & semis.

Ceræ citrinæ Libram semis.

Terebinthinæ Vncias quatuor.

F. s. a. Emplastrum.

C E R A T V M S A N T A L I N V M.

℞. Santali rubri Drachmas decem.
 albi,
 citrini, ana Drachmas sex.

Rosarum rubrarum Drachmas duodecim.

Boli Armeniae Drachmas septem.

Spodii ex ebore Drachmas quatuor.

Caphuræ Drachmas duas.

Olei Rosacei Omphacini Vncias novem.

Ceræ albæ q. s. ut

F. s. a. Ceratum.

C E R A T V M S T O M A C H I C V M

G A L E N I.

℞. Mastiches,
 Rosarum rubrarum, ana Drachmas viginti.
 Foliorum Absinthii Drachmas quindecim.
 Spicæ Nardi Indicæ Drachmas decem.
 Olei Rosacei Omphacini Libram unam.
 Ceræ q. s. ut

F. s. a. Ceratum.

S P A R A D R A P V M,

seu

T E L A G V A L T E R I.

℞ Olei Rosacei Omphacini Libram semis.
 Sevi arietini Vncias quatuor.
 Ceræ albæ Vncias decem.
 Lithargyri,
 Minii, ana Vncias tres.
 Boli Armeniae,
 Mastiches,
 Plumbi usti præparati,
 Thuris,
 Tutia, ana Vnciam unam & semis.
 Caphuræ Vnciam semis.

Lithargyrus, ac Minium cum Oleo Rosaceo & Sevo, additâ à principio s. q. aquæ, simul coquantur ad debitam consistentiam; inde Cera liquefacta affundatur, ac tandem pulveres immisceantur, sicque F. s. a. Emplastrum. Quo adhuc calente pannus lineus utrimque intingatur, & supra tabulam Oleo Rosaceo madidam extendatur.

R V P T O R I V M C O M M V N E.

Fit ex Lixivio fortissimo s. a. exiccato.

LAPIS ALCHIMIE.

℞. Vitrioli Romani Libram unam.
 Aluminis Libram semis.
 Tartari albi,
 Vitrioli albi, ana Vncias quatuor.
 Boli communis,
 Lapidis Calaminaris, ana Vncias duas.
 Æruginis,
 Ceruffæ, ana Vnciam unam.

*Pulverata subtilissimè cum s. q. Aceti Vini optimi bul-
 liant, & coquantur ad Lapidis duritiem.*

SECTION

LAPIS

S E C T I O D E C I M A T E R T I A,

De Præparationibus quorundam
Medicamentorum Simplicium.A L O E S N U T R I T I O P E R
S U C C V M R O S A R V M.

℞. Aloes Socotorinæ lucidæ tritæ q. v.
Succi Rosarum pallidarum q. s. ut

*In eo dissolvatur, deinde exsiccetur; teratur rursus, eâdem-
que Succi ejusdem portione diluatur, agitetur, dissolvatur, &
denuò exsiccetur; hæcque aliquoties reiterentur.*

Æ R I S V S T I O.

℞. Æris laminas q. v.

Immittantur in fictile, interjectâ inter singulas laminas

Sulphuris pulverati s. q.

*Sic ut paretur S. S. S. tum igne urantur quoad suffecerit.
Cinis relictus aqua calida sæpius affusa edulcoretur.*

C A L C I S A B L U T I O.

℞. Calcis vivæ q. v.

*Teratur, & in catino copiose aquæ dulci misceatur multâ
agitatione; cùmque in fundo resederit, mutetur aqua, & com-
misceatur denuò, idque repetatur aliquoties. Tandem Rosacea
affundatur, & Calx siccata asservetur.*

CHALYBIS PRÆPARATIO.

℞. Limaturæ Chalybis purissimi q. v.

Irroretur Aceto vini acerrimo, & siccetur ad Solem, idque toties repetatur, donec super porphyritem, affuso parum Aquæ Cinamomi, possit teri in pulverem impalpabilem, quod duodecima ferè irroratione fit.

CORNV CERVI, EBORIS, ALIORVMQVE OSSIVM PRÆPARATIO VVLGARIS.

℞. Ossa quæ, & q. v.

In frusta secta comburantur in Crucibulo donec penitus albescant; subtilissimè trita laventur aliquoties Aqua Rosacea; tandem super marmor levigata formentur in Trochiscos.

EORVNDEM OSSIVM PRÆPARATIO NOVA.

In destillatione Aquæ Vitæ Ossa filo annexa suspendantur in Collo Vesicæ, ita ut Vinum non attingant; tum superposito Capitello fiat destillatio, & per vapores ascendentes ossa in substantiam friabilem redigentur primâ, vel repetitis destillationibus.

CORIAN-

CHALY-

P 3

CORIANDRI SEMINVM
PRÆPARATIO.

℞. Seminum Coriandri q. v.

*Macerentur horis viginti quatuor in acri Aceto, dein sicca-
ta recondantur.*

ELATERIVM CONFICIENDI
MODVS.

℞. Cucumerum agrestium intra octiduum col-
lectorum q. omninò f.

*Præscindantur cautè cultelli apice in medio petioli, ut ma-
tura semina sine ulla fructuum compressione in capacem am-
phoram profiliant. E fructibus verò super cribro incisus semen
reliquum, & mucago prolectanda sunt, & in mortario mar-
moreo ligneo pistillo, affuso sensim liquoris tenuis è fructibus
concisis extillantibus, & aquæ pluvie tantillo, tundenda; atque
ita manibus omnia calidis tractanda, donec liquor pinguis
oleosus è medulla seminis in pulpamentum per cribrum seta-
ceum tenuissimum, & novum transeat; quod per evaporatio-
nem super arenas redigendum in consistentiam massæ pilularũ.*

ESVLÆ PRÆPARATIO.

℞. Corticum Radicum Esulæ q. v.

*Macerentur in Aceto acri calore mediocri, dein siccati repo-
nantur. Ita Helleborus niger, aliâq; id genus præparantur.*

LACCÆ PRÆPARATIO.

R̄. Laccæ immundæ (sincera enim per se usurpari potest) parùm fractæ q. v.

Decoque in aqua cui

*Radicum Aristolochiæ longæ, &
Schœnanthi, ana partes æquales*

Sint incoctæ, donec purior pars supernatet, sordésque in fundo resederint: purior illa pars auferatur, & ad Solem, aut in Vaporario exiccetur, usuique seruetur.

LAPIDIS CALAMINARIS

PRÆPARATIO.

R̄. Lapidis Calaminaris q. v.

Ter candefactus ter Aquis Plantaginis, & Rosarum extinguitur. Tandem super marmor levigatus cum iisdem aquis in pastillos redigatur.

LAPIDIS LAZULI

PRÆPARATIO.

R̄. Lapidis Lazuli q. v.

Vratur in crucibulo, deinde teratur, & toties Aqua primum communi, deinde cardiaca, ut Melissa, aliâve abluatur, donec aqua limpida post lotionem remaneat.

LAPIDVM PRETIOSORVM,
 CORALLORVM,
 MARGARITARVM,
 OCVLORVM CANCRI,
 ALIORVMQVE PRÆPARATIO.

℞. Margaritarum candidarum selectarum q. v.

In mortario, & pistillo porphyritico, vel ex chalybe, additis Aquæ Rosacæ guttulis quibusdam, tamdiu molantur, dum in tenuissimum pulverem redactæ fuerint, & inditæ ori sub dentibus stridorem nullum edant; deinde siccentur parùm, & redigantur in pastillos.

OPII PRÆPARATIO.

℞. Opii q. v.

Dissolvatur in Spiritu Vini, solutum percoletur, & vaporet in consistentiam.

PLUMBI VSTIO.

℞. Plumbi laminarum tenuissimarum q. v.
 Sulphuris q. s.

Fiat S. S. S. in fictili novo; ignem succendito, flagrans plumbum spathâ ferreâ versato donec prorsus in cineres redigatur.

Q

SCAM-

SCAMMONII PRÆPARATIO.

℞. Scammonii pulverati q. v.

Indatur in Cydonea excavata, quæ pastâ obductâ in furno, vel cineribus assentur, & postea exemptum Scammonium servetur usui. Vocaturque Dacrydium, passim Diagridium.

TUTIÆ PRÆPARATIO.

℞. Tutia officinarum, seu Cadmiæ Græcorum q. v.

Ter saltem in crucibulo candefacta, ter Aqua Rosarum exstinguatur, deinde super marmor in subtilissimum pollinem levigata cum Aqua Rosacea redigatur in pastillos.

VITRIOLI CALCINATIO.

℞. Vitrioli pulverati q. v.

In vase terreo non vitreato igne moderato exsiccetur ad albedinem, fortiter semper agitando ne adhærescat & lapidescat. Postea igne aucto per horæ quadrantem uratur ad rubedinem.

APPEN-

A P P E N D I X,

De Quibusdam nuncupationibus plura
uno titulo comprehendentibus.

Q V I N Q V E R A D I C E S

A P E R I E N T E S.

Apii.
Asparagi.
Fœniculi.
Petrofelini.
Rufci.

Q V A T V O R H E R B Æ

E M O L L I E N T E S.

Althæa,
Beta, *vel* Parietaria.
Malva.
Violaria.

Q V I N Q V E H E R B Æ

C A P I L L A R E S.

Capillus Veneris.
Phyllitis, *seu* Lingua cervina.
Polytrichum, *seu* Trichomanes.
Salvia Vitæ, *seu* Ruta muraria.
Scolopendrium, *seu* Ceterach.

T R E S F L O R E S C O R D I A L E S .

Borraginis,
Buglossæ,
Violarum.

Q V A T V O R S E M I N A C A L I D A
M A I O R A .

Anisi.
Cardamomi.
Cumini.
Fœniculi.

Q V A T V O R S E M I N A C A L I D A
M I N O R A .

Ammios.
Apii.
Carei.
Dauci.

Q V A T V O R S E M I N A F R I G I D A .
M A I O R A .

Cucumeris.
Cucurbitæ.
Citrulli.
Melonum.

Q V A -

QVATVOR SEMINA FRIGIDA
MINORA.

Cichorei.

Endiviæ.

Lactucæ.

Portulacæ.

QVINQVE LAPIDVM PRETIO-
SORVM FRAGMENTA.

Granati.

Hyacinthi.

Sapphiri.

Sardi, seu Carneoli.

Smaragdi.

De Ponderibus, & Mensuris Medicis,
quibus hodie utimur, eorúmque Notis.

Gr. gr. Granum hordei modicè crassum.

ð. Scrupulus, vel Scriptulus, pendet grana viginti.

ʒ. Drachma, continet Scrupulos tres.

ʒ. Vncia, pendet Drachmas octo.

℥. Lib. Libra Medica, est pondus Vnciarum duo-
decim.

℥ß. Selibra, Vnciarum sex.

Quart. Quartarius, vel quadrans, Vnciarum trium.

M. Manipulus, quantum manu comprehendi
potest.

P. Pugillus, quantum adductis digitorum apicibus attollitur, seu Manipuli dimidium.

Pinta nostra continet Vncias liquoris circiter viginti.

N^o. Numero } ita fructus metimur.
Par. Paria }

ã. ana, id est, cujusque, vel singulorum prius recensitorum dosin, quæ sequitur sumendam, aut, si nulla sequatur dosis, singulorum æqualem debere esse quantitatem.

Part. æq. id est, partes æquales omnium sumendas.

Q. S. q. s. quantum sufficit } cum Pharmacopœi ar-
Q. V. q. v. quantum vis } bitrio pondus, vel men-
Q. PL. q. pl. quantum placet } sura relinquitur.

S. A. s. a. Secundum artem, cum Pharmacopœo modus componendi committitur.

S. S. S. stratum super stratum, cum duæ res alternatim sibi invicem substernuntur.

B. M. Balneum Mariæ, vel Maris.

F I N I S.

I N

I N D E X

Medicamentorum Compositorum in officinis asservandorum.

<p>ACETA. Sect. II. pag. 16</p> <p>Calendulæ. 16</p> <p>Lavendulæ. 16</p> <p>Rosaceum. 16</p> <p>Sambucinum. 16</p> <p>Scilliticum. 16</p> <p>ANTIDOTA. VI. 48</p> <p>Confectio Alkermes. 53</p> <p>Diascordiu Fracastorii. 52</p> <p>Mithridatium Damocrat. 50</p> <p>Theriaca Andromachi. 48</p> <p>Theriaca Diateffar. Mes. 53</p> <p>AQVÆ COMPOSITÆ. II. 12</p> <p>Ant-epileptica. 12</p> <p>Hysterica. 13</p> <p>Theriacalis. 13</p> <p>Vitæ composita. 14</p> <p>AQVÆ SIMPLICES STILL- LATITÆ. II. 10</p> <p>Acetosæ. 10</p> <p>Betonicæ. 10</p> <p>Caprifolii. 10</p> <p>Cardui benedicti. 10</p> <p>Centaurii minoris. 11</p> <p>Chelidonii majoris. 10</p> <p>Cichorei. 10</p> <p>Cinamomi. 11</p> <p>Cochleariæ. 10</p> <p>Fabarum. 10</p> <p>Foeniculi. 10</p> <p>Fumariæ. 10</p>	<p>Graminis. 11</p> <p>Lactucæ. 10</p> <p>Lavendulæ. 10</p> <p>Liliorum convallium. 10</p> <p>Melissæ. 10</p> <p>Mellis. 11</p> <p>Menthæ. 10</p> <p>Nivis Martialis. 10</p> <p>Petroselini. 10</p> <p>Plantaginis. 10</p> <p>Portulacæ. 10</p> <p>Pulegii. 10</p> <p>Roris Solis. 10</p> <p>Spermatis Ranarum. 10</p> <p>CERATA. XII. 114</p> <p>Santalinum. 114</p> <p>Stomachicum. 114</p> <p>CONDITA. IV. 37</p> <p>Caro Cydoneorum. 37</p> <p>Caules Lactucæ. 37</p> <p>Cortices Arantiorum, 37</p> <p style="padding-left: 2em;">Citriorum. 37</p> <p>Flores Arantiorum, 37</p> <p style="padding-left: 2em;">Citriorum. 37</p> <p>Fructus Berberi. 37</p> <p style="padding-left: 2em;">Cerasa. 37</p> <p style="padding-left: 2em;">Cerasa amarena. 37</p> <p style="padding-left: 2em;">Myrobalani. 37</p> <p style="padding-left: 2em;">Nuces Juglandes. 37</p> <p style="padding-left: 2em;">Moschatae. 37</p> <p style="padding-left: 2em;">Ribesii. 37</p> <p style="padding-left: 2em;">Passulæ</p>
--	---

I N D E X.

Passulæ purgantes.	38	Diaphœnicon.	43
Radices Acori vulgaris.	37	Diaprunum solutivum.	44
Cichorei.	37	Hiera Diacolocynthidos.	45
Enulæ campanæ.	37	Hiera picra Galeni.	46
Eryngii.	37	Lenitivum.	46
Satyrii.	37	Succi Rosarum.	47
Scorzoneræ.	37	EMPLASTRA. XII.	106
Zingiberis.	37	Betonicæ.	106
CONSERVÆ. IV.	38	Diachalciteos, seu	
Absinthii Romani.	39	Diapalmæ.	106
vulgaris.	39	Diachylon cū Gummi.	107
Acetosæ.	39	simplex.	107
Betonicæ.	38	Gratia Dei.	107
Borraginis.	38	Griseum, seu	
Calendulæ.	38	Lap. Calaminaris.	108
Caryophylleorum.	38	Meliloti.	108
Cichorei.	38	Minii.	109
Euphragiæ.	38	Mucilaginum.	110
Malvæ.	38	Oxycroceum.	110
Melissæ.	39	Ranarum cum, &	
Menthæ.	39	fine Mercur.	111
Nymphææ.	38	ad Rupturas Fernelii.	112
Pæoniæ.	38	Sparadrapum, seu	
Rorismarini.	38	Tela Gualtheri.	115
Rosarum pallidarum.	38	Stipticum Paracelsi.	113
rubrarum.	38	LAPIS ALCHEM. XII.	115
Salviæ.	38	MELITA. III.	34
Symphyti.	38	Diamoron Nicolai.	35
Trifolii acetosi.	39	Dianucum Mesuæ.	35
Violarum.	38	Mel Centaurii.	34
ELECTVARIA SOLVT. V.	40	Mercurialis.	34
Benedictum laxativum.	40	Rorismarini.	34
Caryocostinum Bayri.	41	Rosarum.	34
Confectio Hamech.	41	Rosarum solutivum.	34
Diacarthamu.	42	Oxymel Scilliticum.	35
Diacatholicon.	43	simplex.	35

OLEA

I N D E X.

OLEA PER DELIQ. X.	93	Lini.	84
Guajaci.	93	Macis.	84
Myrrhæ.	94	Nigellæ.	84
Petræ naturale.	94	Nucis Juglandis.	84
Plumbi.	94	Moschatae.	84
Tartari.	94	Ovorum.	84
OLEA PER DESTILL. X.	91	Olivarum maturarum.	84
Anethi.	91	Omphacinum.	84
Anifi.	91	Palmæ.	84
Baccarum Juniperi.	91	Papaveris.	84
Carei.	91	OLEA PER INFUSION. ET	
Caryophyllorum.	91	DECOCTIONEM. X.	85.
Cerae.	92	Absinthii.	85
Cinamomi.	91	Anethinum.	85
Corticum Arantiorum.	91	Capparum.	86
Citriorum.	91	Castorei.	87
Foeniculi.	91	Chamæmelinum.	85
Laterum, seu Philosoph.	92	Crocinum.	88
Ligni Rhodii.	91	Cydoneorum.	85
Macis.	91	Euphorbii.	88
Majoranæ.	91	Hyperici.	85
Nucis moschatae.	91	Irinum.	88
Origani Cretici.	91	Keyrinum.	85
Rorismarini.	91	Liliorum alborum.	85
Salis.	92	Lumbricorum terrestriū.	89
Spicæ.	92	Majoranæ nobilis.	85
Succini.	92	Mastichinum.	89
Sulphuris.	93	Menthæ crispæ.	89
Terebinthinæ.	93	Mucaginum.	89
Vitrioli.	93	Myrtillorum.	90
OLEA PER EXPRESS. X.	84	Nepetæ.	85
Amygdalarum amararū.	84	Nymphææ.	86
dulcium.	84	Rosaceum.	86
Erucæ.	84	Rosaceum omphacinum.	86
Hyoscyami.	84	Rutaceum.	86
Laurinum.	84	Scorpionum.	86

R.

Sola-

I N D E X.

Solani.	86	Hellebori nigri præpar.	119
Trifolii odorati.	86	Laccæ præparatio.	120
Violaceum.	86	Lapidis Calamin. præp.	120
Verbasci.	86	Lazuli præpar.	120
Vulpinum.	90	Lapid. pretiosor. præp.	121
O P I A T A. VI.	54	Margaritarum præpar.	121
Philonium Mesuæ.	54	Oculorum Cancri præp.	121
Requies Nicolai.	54	Opii præparatio.	121
Puerorum.	55	Plumbi ustio.	121
P I L V L Æ. IX.	77	Scammonii præparatio.	122
Aloëphanginæ.	77	Tutiæ præparatio.	122
Agarici.	78	Vitrioli calcinatio.	122
Auræ.	78	P V L V E R. A R O M A T. VII.	57
Cochiæ.	78	Aromaticus rosac. Gabr.	57
Cynoglossi.	79	Diagalangæ Mesuæ.	58
Extracti catholici.	79	Diaireos simplex.	59
Foetidæ majores.	80	Dialaccæ major.	59
Hieræ cum Agarico.	81	Diamargaritôn frigidus.	60
Lapidis Lazuli Mesuæ.	81	Diambrae Mesuæ.	61
Laudani Opiati.	82	Dianthos Nicolai.	61
Mastichinæ.	82	Diarrhodôn Abbatis.	62
Nitri Alex. Tralliani.	82	Diatragacanthi frigidus.	63
Pestilenciales communes.	83	Dia triôn Santalon Nic.	64
Sine quibus.	83	Liberans.	64
P R Æ P A R A T I O N. Q V O R V N-		Nephriticus.	66
D A M S I M P L I C. XIII.	117	P V L V E R. C H Y M I C I. VII.	67
Æris ustio.	117	Cremor Tartari.	67
Aloes nutritio.	117	Crytalli Tartari.	67
Calcis ablutio.	117	Flores Sulphuris.	68
Chalybis præparatio.	118	Lapis Prunellæ.	68
Corallorum præparatio.	121	Magisteriū Corallorum.	68
Cornu Cervi præparat.	118	Margaritar.	68
Coriandri Semin. præp.	118	Oculor. Canc.	68
Eboris præparatio.	118	Mercurius dulcis.	69
Elateriū faciendi mod ^o .	119	præcipitatus.	69
Efulæ præparatio.	119	Tartarum vitriolatum.	67

I N D E X.

P VLVER. PURGANT. VII.	56	Iujubinus.	27
Diasenæ Montagnanæ.	56	Iulapium rosaceum.	18
Diaturbith cum Rhab.	56	Limonum.	18
Hieræ simpl. Gal.	57	Menthæ.	28
R OB. III.	36	Myrtinus.	29
Acaciæ.	36	Oxyfaccharum simplex.	19
Berberorum.	36	Papaveris.	30
Ribesiorum.	36	Papaveris erratici.	30
R UPTOR. COMM. XII.	115	Portulacæ.	30
S ALES. VII.	69	Quinque Radicum.	31
Absinthii.	69	Rosarum ficcatarum.	31
Cardui benedicti.	69	solutivus.	31
Fabarum.	69	solutivus cum Se-	
S YRVIPI. III.	17	na.	32
Absinthii compositus.	17	Stœchadis.	32
Aceti.	17	Symphyti Fernelii.	33
Acetosæ.	18	Violarum compositus.	33
Agrestæ.	18	simplex.	19
Althææ Fernelii.	19	T ABELLÆ. IV.	39
Arthemisiæ Fernelii.	20	Manus Christi perlata.	39
Betonicæ.	21	Saccharum Althææ.	39
Borraginis.	22	T ROCHISCI. VIII.	70
Botryos.	22	Agaricus trochiscatus.	70
Byzantinus.	22	Albi Rhazis.	70
Capillorum Veneris.	23	Alhandal.	70
Cardui benedicti.	22	Alkekengi.	71
Cichorei simplex.	22	Bechici.	72
cum Rhabarb.	23	Capparum.	72
Cydoneorum.	18	Cypheos pro Mithridat.	73
Diacnicu Andernaci.	24	Hedychroi ad Theriac.	73
Diacodion Montani.	25	Myrrhæ.	74
Fumariæ.	26	Rhabarbari.	75
Glycyrrhizæ.	26	Scillitici ad Theriacam.	75
Granatorum acidorum.	18	Sief album.	70
dulcium.	18	Terræ sigillatæ.	76
Hyssopi.	27	Viperini ad Theriacam.	76

I N D E X.

VNGVENTA.	XI.	95	Calcis.	100
Adstringens Fernelii.		95	Diapompholygos.	100
Ægyptiacum.		95	Enulatum cum Mercur.	100
Agrippæ.		96	Martiatum.	101
Album Caphuratum.		96	Nervinum.	102
Althææ compositum.		97	Nutritum.	102
simplex.		97	Oculare.	103
Apostolorum.		97	Pectorale.	103
Arthanitæ.		98	Pomatum.	103
Aureum.		99	Populeum.	104
Basilicon, seu			Refrigerans Galeni.	105
Tetrapharmacon.		99	Rosaceum.	105

F I N I S.

P R I V I L E G I V M.

P*rivilegio DD. Hollandiæ & West-Frisiæ Ordinum cautum est, ne quis Pharmacopœam hanc Amstelredamensem, Senatus Auctoritate munitam, proximis ab editionis tempore viginti annis, vel totam, vel ex parte, vel majori, vel minori formâ recudat, vel recudi procuret, vel alibi recusam intra Hollandiæ West-Frisiæque fines importet, distrahat, aut divendat, sub pœna ad id constituta in diplomate ipso, dato Hagæ Comitû IX Maii an. CIOIO CXXXVI.*

Subsignat.

C. vander Wolff.



Handwritten text on a dark, textured surface, possibly a book cover or scroll. The text is arranged in vertical columns and is mostly illegible due to fading and wear. Some faint characters are visible, including what appears to be the number '10' in the middle section.

XXII-1-

11